

Legal Pathways to Negative Emissions Technologies and Direct Air Capture of Greenhouse Gases

by Tracy Hester

Tracy Hester is a Lecturer at the University of Houston Law Center.

Summary

Deep decarbonization will have to explore the use of negative emissions technologies (NETs), which include the direct air capture (DAC) of ambient carbon dioxide. NETs capture or consume more carbon dioxide than they emit, and DAC is a subset of NETs that use any industrialized chemical or physical methods to remove greenhouse gases from the atmosphere and then store or reuse those gases, typically in a way that does not allow them to escape. While still nascent, NETs include a wide array of approaches such as biomass energy with carbon capture and sequestration, enhanced weathering of minerals, and the direct mechanical capture of ambient carbon dioxide through filters and chemicals. This Article, excerpted from Michael B. Gerrard & John C. Dernbach, eds., *Legal Pathways to Deep Decarbonization in the United States* (forthcoming in 2018 from ELI Press), focuses on the legal pathways needed to accelerate the development and use of NETs and assure their proper governance.

I. Introduction

Deep decarbonization will require a fundamental transformation of U.S. energy and manufacturing industries, but those sweeping changes alone will likely not suffice. Anthropogenic emissions since the start of the Industrial Revolution have already resulted in concentrations of carbon dioxide (CO₂) in the ambient atmosphere that will lead to disruptive average global surface temperature increases before the end of this century. Simply put, even if current anthropogenic emissions drop to zero, the levels of CO₂ already present in the atmosphere will have locked us into rapid and intractable warming.¹ Deep decarbonization of future emissions also will not sufficiently offset or respond to damaging physical transitions caused by ongoing climate change that could cause substantial new greenhouse gas (GHG) emissions, such as melting permafrost, reduced arctic albedo, and carbon releases from forest fires.²

To address CO₂ concentrations already stockpiled in the atmosphere, deep decarbonization will likely require additional steps beyond simply halting carbon emissions from ongoing economic activities. One potential option under active investigation is ambient CO₂ removal through the deployment of negative emissions technologies (NETs), including the direct air capture (DAC) of atmospheric CO₂ or other GHGs to sequester them in an inaccessible or inert form or convert them into a commercial product or good.³ Given the enormous challenges facing efforts to adequately reduce current GHG emissions, climate change forecasts and strategies have begun to devote growing attention to NETs as a complement to broad emissions mitigation.⁴ For example, the United Nations Intergovernmental Panel on Climate Change's (IPCC's) latest integrated assessment models suite of 900 scenarios found only a small set of 76 pathways that could attain the Paris Agreement's target of limiting temperature increases to 2 degrees Celsius (°C) or less, and the vast majority of those models relied on NETs.⁵

-
1. INTERGOVERNMENTAL PANEL ON CLIMATE CHANGE (IPCC), CLIMATE CHANGE 2014: SYNTHESIS REPORT §2.4, at 63 (2014) (“[w]arming caused by CO₂ emissions is effectively irreversible over multi-century timescales unless measures are taken to remove CO₂ from the atmosphere”).
 2. *Id.* §2.2.4, at 62.
 3. EUROPEAN ACADEMIES SCIENCE ADVISORY COUNCIL, EASAC POLICY REPORT No. 35, NEGATIVE EMISSION TECHNOLOGIES: WHAT ROLE IN MEETING PARIS AGREEMENT TARGETS? (2018); James Hansen et al., *Young People's Burden: Requirement of Negative CO₂ Emissions*, 8 EARTH SYS. DYNAMICS 577-616 (2017), <https://doi.org/10.5194/esd-8-577-2017>.
 4. Robert B. Jackson et al., *Focus on Negative Emissions*, 12 ENVTL. RES. LETTERS 110201 (2017).
 5. Kevin Anderson & Glen Peters, *The Trouble With Negative Emissions*, 354 SCIENCE 182 (2016) (“[i]t is not well understood by policy-makers, or indeed many academics, that [integrated assessment models showing attainment of the Paris Agreement's 2°C goal] assume such a massive deployment of negative-emission technologies,” including assumptions that NETs will bring global emissions to at least net zero in the second half of the 21st century); JOSHUA B. HORTON ET AL., HARVARD PROJECT ON CLIMATE AGREEMENT

In particular, the models assume that the world community will broadly adopt the technology of generating power through burning biomass for energy with carbon capture and sequestration (BECCS) of the resulting emissions.⁶

This Article assesses the legal and policy challenges of decarbonizing the atmosphere itself through NETs and, in particular, DAC. The Deep Decarbonization Pathways Project's (DDPP's) analysis does not discuss the viability and impact of this potential approach because it concluded that the feasibility and sustainability of large-scale NETs, including DAC, remained too uncertain at that time to include in country-level deep decarbonization pathways.⁷ For example, in its 2014 interim report, the DDPP excluded from its pathway assessments any significant reductions achieved by NETs. According to the DDPP, "[t]he sustainability of the large-scale deployment of some net negative emissions technologies, such as BECCS, raises issues still under debate, in part due to the competition in land uses for energy and food purposes."⁸ The DDPP's final report did not rely on NETs or DAC for similar reasons.⁹

Yet, despite its current technological uncertainty, the potential broad use of NETs could offer significant benefits to the deep decarbonization initiative. As the DDPP's authors note, the availability of NETs such as BECCS or DAC would enable a gentler transition to a low-carbon economy because they would allow for a higher CO₂ budget in the first half of the 21st century to the extent that those NETs become widely available in the second half of the century.¹⁰ More importantly, the widespread use of NETs could help reduce the historical accumulations of atmospheric GHGs that would currently result in potentially disruptive climate change even if ongoing emissions dropped to zero.

While we now have only an initial sense of the technological efficiency and economic viability of NETs, some early assessments foresee that the wide use of NETs and DAC in the United States alone could lead to a removal of approximately 13 gigatons (Gt) of CO₂ per year with

a cumulative removal of approximately 1,100 Gt CO₂ by 2100.¹¹ In the United Kingdom (U.K.), land-based NETs could potentially remove 12 to 49 megatons (Mt) of carbon equivalent annually, or about 8% to 32% of current emissions.¹² By comparison, anthropogenic emissions of CO₂ equivalent (CO₂e) emissions reached a rate of 49 ±4.5 Gt per year.¹³ A clearer legal framework that removes potential regulatory and liability barriers, as well as policies that foster and support the actual implementation of NETs, could encourage their broader deployment at scale in a speedier time frame.

The widespread deployment of NET strategies to achieve deep decarbonization would need to surmount several legal hurdles. Given the potentially important role that fully developed NETs could play in reducing CO₂ levels in the ambient atmosphere, the removal of these legal obstacles at an early stage could play an important role in improving the odds for their availability as a policy option. For clarity, this Article groups the legal challenges into three categories: construction and infrastructure legal issues, legal consequences of operational impacts, and legal requirements for management of process wastes.

Construction and infrastructure legal issues. These challenges would arise from the disruptions and effects of locating, constructing, and provisioning NET operations and facilities. Some of these barriers might include the assessment and disclosure of the environmental impacts of the siting; construction and operation of industrial-scale NET units dispersed throughout wide geographic regions; or the acquisition of rights to use potentially broad swaths of land or marine surfaces needed by some NETs such as accelerated weathering. These hurdles might warrant the possible use of condemnation powers to obtain those property rights.

Legal consequences from impacts of normal NET operations. Other obstacles may arise from the anticipated impacts that routine large-scale NET operations might have on adjoining properties and neighbors. For example, broadly dispersed NET operations may affect fragile ecological resources or protected species and their habitat. The operators of NET systems may also face potential tort liability if they create conditions that either negligently injure other persons and resources or create nuisances and trespasses.¹⁴

MENTS, IMPLICATIONS OF THE PARIS AGREEMENT FOR CARBON DIOXIDE REMOVAL AND SOLAR GEOENGINEERING 3 (2016). See also MICHAEL GERRARD, COLUMBIA/SIPA CENTER ON GLOBAL ENERGY POLICY, WHAT THE PARIS AGREEMENT MEANS LEGALLY FOR FOSSIL FUELS 2 (2015) (concluding that the Paris Agreement will require capture of carbon emissions before they enter the air, create new sinks, and "[d]evelop, and deploy on a massive scale, technologies to remove the carbon from the air, and sequester it").

6. Anderson & Peters, *supra* note 5, at 183.

7. SUSTAINABLE DEVELOPMENT SOLUTIONS NETWORK & INSTITUTE FOR SUSTAINABLE DEVELOPMENT AND INTERNATIONAL RELATIONS, PATHWAYS TO DEEP DECARBONIZATION: 2014 REPORT 8-9 (2014) [hereinafter PATHWAYS REPORT] ("We have therefore made an assumption in the DDPP that large-scale net negative emissions are still too uncertain to build into our country-level Deep Decarbonization Pathways (DDPs), even though we strongly support research programs that could make net negative emissions a future reality"); *id.* at 19 ("A disadvantage is that the process of isolating and removing the CO₂ from air at low ambient concentrations is technically challenging, currently expensive, and unproven at scale.")

8. SUSTAINABLE DEVELOPMENT SOLUTIONS NETWORK & INSTITUTE FOR SUSTAINABLE DEVELOPMENT AND INTERNATIONAL RELATIONS, PATHWAYS TO DEEP DECARBONIZATION INTERIM REPORT 2 (2014), <http://www.iddri.org/Publications/Rapports-and-briefing-papers/DDPP%20Executive%20SummaryEN.pdf>.

9. PATHWAYS REPORT, *supra* note 7, at 8-9, 19.

10. *Id.* at 18-19.

11. NATIONAL RESEARCH COUNCIL OF THE NATIONAL ACADEMIES, CLIMATE INTERVENTION: CARBON DIOXIDE REMOVAL AND RELIABLE SEQUESTRATION 62 (2015) [hereinafter NAS REPORT].

12. Pete Smith et al., *Preliminary Assessment of the Potential for, and Limitations to, Terrestrial Negative Emission Technologies in the UK*, 18 ENVTL. SCI.: PROCESSES & IMPACTS 1400 (2016).

13. CLIMATE CHANGE 2014: SYNTHESIS REPORT, THE FIFTH ASSESSMENT REPORT OF THE INTERGOVERNMENTAL PANEL ON CLIMATE CHANGE 5 (2015), available at https://www.ipcc.ch/pdf/assessment-report/ar5/syr/SYR_AR5_FINAL_full_wcover.pdf.

14. While several states have Good Samaritan laws to provide protection against tort liability for parties who provide assistance to threatened individuals, those laws typically restrict their coverage to medical personnel or specialists who intervene in emergency situations. They also typically require: (1) the rendering of emergency care, (2) gratuitously, and (3) in good faith (with an exception for grossly negligent, wanton, or willful misconduct). RESTATEMENT (THIRD) OF TORTS: PHYSICAL & EMOTIONAL HARM §42 (2012); Dov

Legal issues arising from the management of process wastes. In addition to legal questions raised by NET siting, infrastructure, and operations, some of these facilities (particularly DAC units) will also likely generate substantial gas product streams and wastes. Such materials will evoke traditional environmental regulatory issues, such as the management and sequestration of potentially vast quantities of captured CO₂ (unless the gas is reused as a feedstock or product) and the disposition of wastes generated by the CO₂ capture and removal process itself (e.g., spent chemicals or other process residues).

These legal obstacles to the full deployment of NETs emphasize the environmental side effects and externalities of the expected operations. A more remote legal issue, however, may arise from the success (or failure) itself of attempts at large-scale NETs. If a nation or person successfully deploys significant DAC facilities that materially reduce ambient concentrations of CO₂ or other GHGs, those reductions may have substantial negative economic effects on current “climate change winners.” For example, a government or corporation that has invested heavily in the expectation of expanded shipping across the newly opened Northwest Passage may argue that successful NET operations have seriously damaged its property and operational expectations.¹⁵ Alternatively, the inept or incompetent implementation of NETs may create its own separate set of damages and legal concerns. To the extent that these speculative legal liabilities arise from the successful mitigation of anthropogenic disruption of the atmosphere, however, the immediate prospects of such claims appear minimal and will not be further considered in this analysis.¹⁶

The legal options and pathways to resolve these issues will turn largely on the actual technology selected and the location and manner in which it is used. But the bulk of legal barriers to the widespread deployment of NETs could likely be resolved through the creative use of legal tools that federal agencies have already provided for the capture and sequestration of CO₂ from power generation facilities as well as the policy options already developed for the use of CO₂ in enhanced oil and gas recovery. The broad use of programmatic environmental impact statements (EIS),

presumptive model permits, and condemnation powers could remove many of the remaining legal barriers as well.

This Article begins by briefly overviews in Part II the suite of potential technologies that could help directly capture GHGs at a scale that would significantly reduce their concentrations in the ambient atmosphere. Part III outlines the potential legal requirements under current U.S. environmental laws that might impede the full development and implementation of NET technologies as well as possible bases for legal liabilities that might discourage their development. Last, Part IV offers several potential avenues to minimize these legal hurdles in a way that could help the development of NET strategies without unduly increasing environmental risks or weakening necessary environmental governance obligations, and Part V concludes.

II. The Current Status of NETs and DAC Development

As noted above, NETs offer a possible strategy to help reduce ambient global CO₂ levels while the United States and other nations adopt comprehensive mitigation and adaptation strategies. This part provides a brief description of the fast-growing portfolio of possible NETs currently under development, with an emphasis on DAC approaches. It then assesses some of the relative strengths and weaknesses of the varied methods.

As an initial step, it is worth clarifying the scope of the term “direct air capture” for purposes of this Article. I define DAC to include any industrialized and scalable method to remove GHGs from the ambient atmosphere and either store or reuse those gases, especially (although not always) in a way that does not allow them to escape back into the atmosphere. As a result, this definition does not include various other technologies that attempt to directly offset the effects of anthropogenic climate change without removing atmospheric carbon stocks, such as solar radiation management (SRM), carbon capture and sequestration (CCS) from fossil fuel combustion streams, enhanced agricultural or silvicultural carbon uptakes (including afforestation, reforestation, and reducing emissions from deforestation and forest degradation (REDD+)),¹⁷ and carbon-neutral fuels.

Within the scope of this definition, NETs fall into four general categories: mechanical DAC of CO₂ from the ambient atmosphere; enhancement of CO₂ removal

Waisman, *Negligence, Responsibility, and the Clumsy Samaritan: Is There a Fairness Rationale for the Good Samaritan Immunity?*, 29 GA. ST. U. L. REV. 609 (2013) (“all fifty states have adopted the [Good Samaritan] immunity [doctrine] in one form or another, and it shows no sign of disappearing any time soon”). These laws appear unlikely to protect DAC operators who negligently cause harm during their operations.

15. J.B. Ruhl, *The Political Economy of Climate Change Winners*, 97 MINN. L. REV. 206, 272 (2012) (arguing that climate change winners should not receive legally protected property rights from climate change effects).
16. These potential types of liability may also arise within the larger field of climate engineering, and they could potentially apply to atmospheric manipulation techniques that do not rely on removal of ambient CO₂ (e.g., solar radiation management (SRM) and albedo enhancement from marine cloud brightening). See, e.g., Michael Burger & Justin Gundlach, *Research Governance, in CLIMATE ENGINEERING AND THE LAW: REGULATION AND LIABILITY FOR SOLAR RADIATION MANAGEMENT AND CARBON DIOXIDE REMOVAL* 269 (Michael B. Gerrard & Tracy Hester eds., Cambridge Univ. Press 2018) (discussions of potential theories of legal liability for climate engineering activities).

17. UN-REDD Programme, *What Is REDD+?*

[r]educing emissions from deforestation and forest degradation (REDD+) is a mechanism developed by Parties to the United Nations Framework Convention on Climate Change (UNFCCC). It creates a financial value for the carbon stored in forests by offering incentives for developing countries to reduce emissions from forested lands and invest in low-carbon paths to sustainable development. Developing countries would receive results-based payments for results-based actions. REDD+ goes beyond simply deforestation and forest degradation, and includes the role of conservation, sustainable management of forests and enhancement of forest carbon stocks.

<http://www.unredd.net/about/what-is-redd-plus.html> (last visited Mar. 19, 2018).

through the manipulation of marine water chemistry and biota; removal of CO₂ through enhanced weathering of minerals and mineral capture (including injection of CO₂ into in situ basalt formations to generate carbonate minerals suitable for permanent sequestration); and direct soil aggregation and management (particularly through the use of biochar) to promote CO₂ uptake. Mineral capture, in particular, has seen some notable recent successes.¹⁸ Last, the NET currently receiving the most attention from policymakers—BECCS—combines the biological uptake of CO₂ by agricultural feedstocks grown for use in power plants with the capture of CO₂ resulting from the energy combustion. Each of these technologies, with the exception of soil conditioning and biochar, will be discussed in greater detail later in this Article.

While the general principles and processes of ambient CO₂ capture have been widely known for decades, the field is undergoing a burst of activity and research spurred, in part, by the increasingly prominent role of CO₂ removal technologies to attain the Paris Agreement's 2°C target. In its 2015 report on CO₂ removal and sequestration technologies, the National Academy of Sciences (NAS) endorsed an active research program to develop a broad array of CO₂ removal technologies,¹⁹ and it has created an ad hoc committee to develop a research agenda for CO₂ removal and reliable sequestration. The committee then began a series of meetings and workshops to draw up research needs for blue carbon projects to enhance the ability of oceanic waters to absorb atmospheric CO₂, geological sequestration, DAC of atmospheric CO₂ (including through burning biomass for electricity and then capturing its emissions), and terrestrial biosphere sequestration.²⁰ In addition, the U.K.'s Natural Environment Research Council and several other agencies have dedicated £8.6 million to Greenhouse Gas Removal Research Programme grants to evaluate the feasibility and impacts of various technologies.²¹

In the private sector, the NRG COSIA Carbon XPRIZE Competition has offered a \$20 million prize to the technology that absorbs the most CO₂ and converts it into one or more products with the highest net value. It received 47 entries from seven countries by the July 26, 2016, deadline²² and chose 27 semifinalists on October 15, 2016. These semifinalists proposed the use of technologies to convert CO₂ emitted by coal and natural gas power production into several useful products. For example, these products might include fuels such as methanol, biofuels, or synthetic fuels created by combining hydrogen with carbon recap-

tured from the CO₂ emissions. Alternatively, other proposals would use the CO₂ to create carbon nanofibers (i.e., carbon fibers with a functional dimension smaller than 10 billionths of a meter).²³ The competition will select its final winners in March 2020 after the development of pilot plants and demonstration-scale competition.²⁴ A similar ferment has seized the rest of the NET and DAC research field, and the technologies and approaches listed below will likely undergo substantial refinement and improvement in the near future.

Last, the United States recently took a significant step to open financial support for DAC projects. Under the Bipartisan Budget Act of 2018, the U.S. Congress extended tax credits to CO₂ sequestration credits under the Internal Revenue Code for DAC projects. To qualify for the credit, the facility must either: (1) fix a "qualified carbon oxide through photosynthesis or chemosynthesis" (although it cannot use "natural photosynthesis" to capture the ambient CO₂ in the first place); (2) chemically convert the qualified carbon oxide to "a material or chemical compound" that will "securely store" the gas; or (3) use the qualified carbon oxide "for any other purpose for which a commercial market exists" (other than as a tertiary injectant at an oil and gas project) as determined by the Secretary of the Treasury.²⁵ Even though the credit only applies to larger facilities that remove more than 100,000 metric tons of CO₂ during the tax year and must fall within the limits otherwise imposed on general business tax credits under the Internal Revenue Code, these tax credits offer a significant new source of funding as well as critical governmental and commercial endorsement for the development of DAC technologies.²⁶

A. Mechanical DAC

The best-known DAC technologies adopt a similar approach: the capture of CO₂ by passing ambient air over a membrane or screen that contains chemicals that absorb the gas.²⁷ Under the most basic approach, a mechanical

18. See discussion *infra* at II.C.

19. NAS REPORT, *supra* note 11, at 5-7.

20. NAS, *Project Information: Developing a Research Agenda for Carbon Dioxide Removal and Reliable Sequestration* (DELS-BASCP-16-01), <http://www8.nationalacademies.org/cp/projectview.aspx?key=49862> (last visited Mar. 19, 2018).

21. Natural Environment Research Council, *Greenhouse Gas Removal From the Atmosphere*, <http://www.nerc.ac.uk/research/funded/programmes/ggr/> (last visited Mar. 19, 2018).

22. Paul Bunje & Marcius Extavour, *Teams Around the World Take On the Carbon XPRIZE*, XPRIZE, July 27, 2016, <http://carbon.xprize.org/news/blog/teams-around-world-take-carbon-xprize>.

23. Press Release, NRG COSIA Carbon XPRIZE, 27 Teams Advancing in \$20 Million NRG COSIA Carbon XPRIZE (Oct. 17, 2016), <http://carbon.xprize.org/press-release/27-teams-advancing-20m-nrg-cosia-carbon-xprize>.

24. XPRIZE, *Schedule*, <http://carbon.xprize.org/about/schedule> (last visited Mar. 19, 2018).

25. Bipartisan Budget Act of 2018 (H.R. 1892) §4119 (Enhancement of Carbon Dioxide Sequestration Credit).

26. James Temple, *The Carbon-Capture Era May Finally Be Starting*, MIT TECH. REV., Feb. 20, 2018, <https://www.technologyreview.com/s/610296/the-carbon-capture-era-may-fainlly-be-starting/>.

27. This brief overview does not provide a comprehensive overview of emerging DAC technologies, but only provides a summary to allow comparisons of approaches and costs. For a comprehensive review of these technologies and their costs, see DEREK MARTIN ET AL., UNIVERSITY OF MICHIGAN, CARBON DIOXIDE REMOVAL OPTIONS: A LITERATURE REVIEW IDENTIFYING CARBON REMOVAL POTENTIALS AND COSTS 100-01 (2017); Eloy S. Sanz-Pérez et al., *Direct Capture of CO₂ From Ambient Air*, 116 CHEMICAL REVS. 11840, 11876 (2016); MICAH BROEHM ET AL., POTSDAM INSTITUTE FOR CLIMATE IMPACT RESEARCH, TECHNO-ECONOMIC REVIEW OF DIRECT AIR CAPTURE SYSTEMS FOR LARGE SCALE MITIGATION OF ATMOSPHERIC CO₂ (2015), <https://ssrn.com/abstract=2665702>; Alain Goeppert et al., *Air as the Renewable Carbon Source of the Future: An Overview of CO₂ Capture From the Atmosphere*, 5 ENERGY & ENVTL. SCI. 7833 (2012).

DAC unit would draw in ambient air either through passively relying on wind or breezes or by incorporating an active fan or blower. The ambient air would move through screens or other filtration steps if needed to remove contaminants or debris, and then it would flow over a tank, membrane, or screen that would put the air in contact with a chemical to absorb the CO₂.

Most current DAC technologies take two different approaches to chemically remove the CO₂ from the ambient air: liquid sorbents or solid adsorbents. Liquid sorbents typically use an alkaline solution to capture acidic CO₂ gas from the air that streams through them, and then precipitates out the CO₂ as a calcium carbonate residue. The system then heats that residue to release the CO₂, and the system captures the gaseous CO₂ before it escapes. It then returns the separated calcium back to the liquid sorption solution, and the cycle repeats itself. By contrast, solid adsorbent systems use a resin to capture ambient CO₂, soak the CO₂-saturated resin in water to release the captured gas, and then reuse the recharged resin to absorb more CO₂.

Under either of these approaches, once the chemical becomes saturated or spent, the operator would remove it from the unit and either dispose of the spent chemical or take steps to release the CO₂ from the spent chemical. This step may often involve the use of either heat or other chemicals. The emitted CO₂ is captured and then either devoted to commercial use or sequestered at a permanent disposal site. In theory, while the amount of CO₂ removed by an individual unit would be relatively small, operators can scale up the process by building a large number of mechanical DAC units subject only to constraints of supplies, available locations, and processing requirements for power and chemicals.

Even at this basic level, this approach faces several large and immediate challenges. Most importantly, the process would have to capture extremely dilute concentrations of CO₂ from ambient air. Because ambient air now contains only approximately 400 parts per million (ppm) of CO₂, most experts assume that the process would need to concentrate the CO₂ before it can be economically recovered and managed.²⁸ This low concentration makes any direct physical separation impractical, and as a result virtually all DAC systems rely on either carbonate absorptives or catalytic chemicals to remove the CO₂. In addition, the resulting CO₂ or products would presumably need to have sufficient economic value—for example, through a price on carbon via a tax or emissions cap—to offset the cost of collecting, processing, and managing the ambient air streams and CO₂.

This combination of constraints led early evaluations of DAC to conclude that the technology would consume enormous amounts of energy, occupy large swaths of land, and mandate the management of vast amounts of waste materi-

als and captured CO₂.²⁹ For example, the NAS' assessment of climate engineering technologies in 2015 concluded that removing significant amounts of CO₂ with DAC could require up to 100,000,000 acres in the Southeast United States.³⁰ This figure assumes, however, that the DAC units would use solar power sources that would demand large amounts of land.³¹ A more refined calculation based on assumptions that DAC could use natural gas or coal power sources (and then capture and sequester those energy emissions) allows a much more compact demand for land that compares favorably with wind or solar energy facilities.³²

As research into DAC has progressed, the range of potential removal strategies has expanded to make the technologies more effective and economical.³³ For example, one approach has used alkaline solutions to capture CO₂ and concentrate it to high levels of purity for sale as a commercial-grade product, but this process requires substantial energy, consumes substantial chemicals, and can produce significant amounts of waste.³⁴ By contrast, a competing process that uses resins, air moisture, and ambient air movement to power the removal of CO₂ uses much less energy, but it removes comparatively less CO₂ from the ambient air input stream and only produces a stream of CO₂-enriched air that can be used for enhancement of plant growth.³⁵

While cost estimates are changing quickly as research progresses, current projects based on available absorption technologies that use the alkaline chemical solutions strategy would likely capture CO₂ at costs ranging from \$250 to \$1,000 per ton.³⁶ Notably, the developers of DAC sys-

28. See, e.g., ROYAL SOCIETY, *GEOENGINEERING THE CLIMATE: SCIENCE, GOVERNANCE, AND UNCERTAINTY* 15 (2009); JAMES RODGER FLEMING, *FIXING THE SKY* 251 (2010).

29. See, e.g., CENTER FOR SCIENCE, TECHNOLOGY, AND ENGINEERING, U.S. GOVERNMENT ACCOUNTABILITY OFFICE (GAO), *TECHNOLOGY ASSESSMENT: CLIMATE ENGINEERING—TECHNICAL STATUS, FUTURE DIRECTIONS, AND POTENTIAL RESPONSES* 21 (2011) (GAO-11-71) (projecting that the energy required for DAC to capture one ton of ambient CO₂ would itself release a ton of CO₂, thereby nullifying the capture). See also Pete Smith et al., *Biophysical and Economic Limits to Negative CO₂ Emissions*, 6 *NATURE CLIMATE CHANGE* 42-50 (2016) (investment in BECCS sufficient to meet temperature goals would require \$123 to \$138 billion per year by 2050, which would equal nearly 5% of projected total global energy infrastructure investments by 2050).

30. NAS REPORT, *supra* note 11, at 58, 62 (this projection assumes that the DAC technology would rely on solar power rather than non-renewable energy sources that might cause carbon emissions of their own).

31. *Id.*

32. David W. Keith et al., *Climate Strategy With CO₂ From the Air*, 74 *CLIMATIC CHANGE* 17 (2006), available at https://keith.seas.harvard.edu/files/tkg/files/51.keith_.2005.climatestratwithaircapture.e.pdf.

33. For a good survey of current DAC commercialization projects (and their associated cost projections), see YUKI ISHIMOTO ET AL., FORUM FOR CLIMATE ENGINEERING ASSESSMENT, *WORKING PAPER NO. 002, PUTTING COSTS OF DIRECT AIR CAPTURE IN CONTEXT* 7-9 (2017) (summarizing technology choices and unit costs for efforts by Carbon Engineering, the Center for Negative Emissions of Arizona State University, Global Thermostat, Clime-works, Carbon Sink, Coaway, and Skytree).

34. Carbon Engineering, *Direct Air Capture*, <http://carbonengineering.com/about-dac/> (last visited Mar. 19, 2018).

35. Arizona State University, Center for Negative Carbon Emissions, *Research*, <https://cnce.engineering.asu.edu/research/> (last visited Mar. 19, 2018). See also Tao Wang et al., *Moisture-Swing Sorption for Carbon Dioxide Capture From Ambient Air: A Thermodynamic Analysis*, 15 *PHYSICAL CHEMISTRY CHEMICAL PHYSICS* 504 (2013) (discussing basic thermodynamic chemistry of reaction).

36. These cost assessments vary widely. For example, a cost calculation for CO₂ removal by DAC that assumed the use of sodium hydroxide to capture the

tems estimate that the cost per ton for captured CO₂ is much lower than academic estimates (generally, from \$20-\$30 per ton of CO₂ up to \$167 per ton).³⁷ If mechanical DAC technologies are widely deployed, those costs could theoretically drop to as low as \$30 per ton. By comparison, some studies expect the cost per ton of CO₂ captured and sequestered at fossil-fueled power plants to approach \$50 to \$100 if the U.S. energy sector fully implemented CO₂ reduction mandates under the U.S. Environmental Protection Agency's (EPA's) new source performance standards for fossil-fueled power plants.³⁸ The federal government has estimated the social cost of carbon at roughly \$40 per ton for use when calculating the costs and benefits of federal regulations that affect CO₂ emissions.³⁹

B. Carbon Removal Via Ocean Manipulation

Rather than seeking to take dilute CO₂ from ambient air, other approaches have focused on enhancing the oceans' ability to remove CO₂ from the atmosphere. This strategy would essentially boost the key role already played by marine waters in capturing and sequestering CO₂ either through photosynthesis or direct chemical absorption. This natural process currently removes more than one-half of all annual anthropogenic emissions, and the marine waters can offer an easier physical medium for the removal and management of CO₂ at higher concentrations than ambient air.⁴⁰ The vital role that oceans have already

played so far in removing CO₂, however, has caused growing concerns over the increasing acidification of marine waters, the accelerating loss of marine biodiversity and extinction of aquatic species, and reduced efficiency in marine uptake of CO₂ due to the thermal warming of the oceans' surface layers.⁴¹

The most well-known marine removal strategy is ocean iron fertilization (OIF). This proposed technology would add iron to certain mineral-poor ocean waters to spur the growth of marine phytoplankton. The plankton bloom would absorb CO₂, and then sequester the gas as the plankton died and sank to the deep ocean floor. The effectiveness of this approach lies in the extraordinary effectiveness of adding relatively small amounts of iron to large volumes of seawater. According to some estimates, the addition of very small amounts of dilute iron solution to an iron-poor marine body (such as the Southern Ocean or upper Pacific) would result in phytoplankton blooms that would uptake large quantities of CO₂.⁴² This high uptake ratio led a famous biogeochemist to quip, "[G]ive me half a tanker of iron, and I'll give you another ice age."⁴³

As opposed to mechanical DAC, OIF has already undergone numerous field experiments.⁴⁴ These studies often focused on other scientific concerns rather than potential climate engineering applications, but the experiments have yielded useful data on the duration, size, and effectiveness of phytoplankton blooms as a tool to absorb CO₂.⁴⁵ Some of the experiments that explicitly sought to demonstrate the climate engineering applications of OIF have proven controversial. An attempt by Planktos, a now-defunct entrepreneurial corporation that sought to obtain marketable carbon credits from OIF, to release solute iron in 2007 near the coastal waters off the Galapagos Islands, led EPA to attempt to halt the project.⁴⁶ An experiment to release iron in the Southern Ocean in

CO₂ and a natural gas-fired kiln to release it for sequestration yielded a cost projection of \$2,200 per ton of CO₂ annually. Notably, this cost did not include the additional expense of transporting and sequestering the CO₂ after capture. AMERICAN PHYSICAL SOCIETY PANEL ON PUBLIC AFFAIRS, DIRECT AIR CAPTURE OF CO₂ WITH CHEMICALS: A TECHNOLOGY ASSESSMENT FOR THE APS PANEL ON PUBLIC AFFAIRS ii (2011). Some proposals would harness low-grade process heat to power an adsorption-regeneration cycle and allow centralized DAC facilities to capture large quantities of CO₂. Peter M. Eisenberger et al., *Global Warming and Carbon-Negative Technology: Prospects for a Lower-Cost Route to a Lower-Risk Atmosphere*, 20 ENERGY & ENV'T 973, 974 (2009).

37. ISHIMOTO ET AL., *supra* note 33, at 7-9 (cost estimates by DAC companies).
38. These costs and estimates are discussed in greater detail in Wendy B. Jacobs & Michael Craig, *Legal Pathways to Widespread Carbon Capture and Sequestration*, 47 ELR 11022 (Dec. 2017).
39. The federal government's most recent estimates of the social cost of carbon ranged from \$12 to \$62 per metric ton of CO₂ by the year 2020 based on a range of discount rates from 2.5% to 5%. The median average cost, which is frequently cited, is \$42. INTERAGENCY WORKING GROUP ON THE SOCIAL COST OF CARBON, TECHNICAL SUPPORT DOCUMENT: TECHNICAL UPDATE OF THE SOCIAL COST OF CARBON FOR REGULATORY IMPACT ANALYSIS UNDER EXECUTIVE ORDER 12866, at 4 (2016). Notably, the Trump Administration disbanded the Interagency Working Group and withdrew this technical support document. All future calculations of social costs of carbon used in federal governmental actions must use estimates "consistent with the guidance contained in [the Office of Management and Budget's] Circular A-4 of September 17, 2003." Exec. Order No. 13783, Promoting Energy Independence and Economic Growth, sec. 5, 82 Fed. Reg. 16093 (Mar. 31, 2017), available at <https://www.whitehouse.gov/the-press-office/2017/03/28/presidential-executive-order-promoting-energy-independence-and-economy-1>. It remains unclear how this Executive Order will affect future uses of social costs of carbon, or how agencies will calculate that cost. Hannah Hess, *OIRA Works Quietly on Updating the Social Cost of Carbon*, GREENWIRE, June 15, 2017, at item 3, <https://www.eenews.net/greenwire/2017/06/15/stories/1060056112>.
40. See, e.g., HEATHER D. WILLAUER ET AL., NAVAL RESEARCH LABORATORY, THE FEASIBILITY AND CURRENT ESTIMATED CAPITAL COSTS OF PRODUCING JET FUEL AT SEA USING CARBON DIOXIDE AND HYDROGEN (2010) (NRL/

MR/6180-10-9300); Greg H. Rau, *CO₂ Mitigation Via Capture and Chemical Conversion in Seawater*, 45 ENVTL. SCI. & TECH. 1088 (2010).

41. IPCC, *supra* note 1, at 45, 60-62. Recent surges in the rate of CO₂ increases in the ambient atmosphere have raised concerns that natural GHG sinks, such as the oceans, have begun to absorb smaller portions of anthropogenic GHG emissions. Justin Gillis, *Rise in Carbon Defies Slowing of Emissions*, N.Y. TIMES, June 27, 2017, at A1.
42. NAS REPORT, *supra* note 11, at 47-53. See also Randall S. Abate & Andrew B. Greenlee, *Sowing Seeds Uncertain: Ocean Iron Fertilization, Climate Change, and the International Environmental Law Framework*, 27 PACE ENVTL. L. REV. 555, 560-72 (2010). Some of the initial enthusiasm for the concept of OIF arose from the combination of its proposed effectiveness at withdrawing large volumes of CO₂ (each ton of iron would effectively sequester up to 15,900 tons of carbon) at a very low cost (ranging from \$2 to \$5 per ton). Philip W. Boyd, *Introduction and Synthesis*, 364 MARINE ECOLOGY PROGRESS SERIES 213, 216-17 (2008).
43. FLEMING, *supra* note 28, at 247; Kenneth Coale, *Preface*, 45 DEEP SEA RES. II 915 (1998).
44. Jeff Tollefson, *Plankton-Boosting Project in Chile Sparks Controversy*, 545 NATURE 393, 394 (2017) ("[r]esearchers worldwide have conducted 13 major iron-fertilization experiments in the open ocean since 1990").
45. NAS REPORT, *supra* note 11, at 49-50.
46. EPA notified Planktos that its planned experiment would require a permit under the federal Clean Water Act (CWA) for the discharge of a pollutant into U.S. marine waters, or that the U.S. flagged vessel would require authorization for the discharge. The company responded it would use a non-U.S. flagged vessel to conduct its experiment outside U.S. jurisdictional waters. Tracy Hester, *Remaking the World to Save It: Applying U.S. Environmental Laws to Climate Engineering Projects*, 38 ECOLOGY L.Q. 851, 862 (2011).

2009 caused the German federal government to order the researchers to halt their work until it could conduct further environmental reviews and assessment.⁴⁷ A similar release of 120 tons of iron sulfate in 2012 by the Haida Salmon Corporation off the coasts of British Columbia led to a civil investigation by the Canadian government into whether the deployment violated Canadian or international law.⁴⁸

Despite the controversy and legal difficulties triggered by these earlier attempts, the Oceanus Marine Research Foundation announced in 2017 that it intends to obtain permits from the Chilean government for a release of up to 10 tons of iron off the Chilean coast in 2018. While this release purportedly would seek to enhance Chile's fisheries, the experiment has already triggered strong objections because of its shared characteristics with earlier OIF releases tied to climate engineering research.⁴⁹

In addition to OIF, NETs can use marine waters to remove ambient CO₂ through other means. For example, CO₂ removal may more readily take place from marine waters because seawater contains CO₂ in concentrations more than 100 times the levels in ambient air. As a result, this approach might yield substantial cost efficiencies.⁵⁰ It also promises to reduce ocean acidification, which other deep decarbonization techniques leave largely unaddressed (other than slow re-equalization after decarbonizing current emissions).⁵¹ Once the treated low-CO₂ waters are returned to the ocean, they could theoretically absorb additional ambient CO₂; those returned waters could then be withdrawn again for repeated treatment in a cycle of continuous CO₂ removal. In general, however, seawater capture research is at a much earlier stage than DAC from land-based facilities.⁵² It might also raise concerns about its effect on the chemical composition of seawater as well as its impact on marine biochemistry and ecosystems (especially if the system is deployed on a large scale), and its actual cost-effectiveness remains unknown.⁵³

C. Accelerated Weathering and Enhanced Mineral Uptake

In addition to direct mechanical removal of CO₂ from ambient air and marine waters, researchers are exploring the option of removing CO₂ from ambient air indirectly through enhancement of the natural process of weathering minerals. For example, the accelerated weathering of olivine—a common mineral easily accessible in the earth's crust, including in large basalt formations created by lava flows that comprise most of the ocean floor—can lead to substantial uptakes of CO₂ from ambient air for relatively low cost within a short time frame. This approach would require the spreading of ground olivine in a thin layer on land, water, or an intertidal area, and then maximizing the particle surface's exposure to ambient air or seawater. As the olivine or mineral matrix interacts with the CO₂-laden medium, it absorbs the CO₂ and releases low amounts of heat. The resulting mineral matrix sequesters the CO₂ in an inert form that can be effectively managed, stored, or disposed of. Once sequestered in this mineral form, the captured CO₂ is effectively entrained permanently and will not be released back into the atmosphere.⁵⁴ This approach can also be used with the injection of CO₂ into subsurface basalt formations as well as the dispersal of finely ground olivine minerals onto marine waters.⁵⁵

This technology promises to cheaply and effectively store large amounts of CO₂ with off-the-shelf tools and techniques. It poses several difficult concerns, however. The proposed use of enhanced weathering usually requires the dispersal of finely ground particulate minerals over a large surface area, and the best results will likely occur if the particles are agitated to increase the exposure of the particles to ambient air or seawater. As a result, this approach would likely demand large areas of land, or the direct addition of particulate minerals to marine tidal waters.⁵⁶ Both of these requirements would raise questions about the impact of broad dispersal of minerals on local ecosystems, and the energy required to grind the minerals to particles may generate CO₂ emissions in amounts that significantly offset the CO₂ that the weathering would sequester.⁵⁷ It should be noted, however, that recent attempts to sequester concentrated streams of CO₂ by injecting them into in situ

47. *Id.* at 863.

48. Holly Jean Buck, *Village Science Meets Global Discourse: The Haida Salmon Restoration Corporation's Ocean Iron Fertilization Experiment (Case Study)*, in *GEOENGINEERING OUR CLIMATE 4* (2014) (including the execution of a search warrant at the experimenter's offices), <http://wp.me/p2zsRk-9M>.

49. Tollefson, *supra* note 44, at 394. Because the proposed project would take place in Chilean waters and constitute a small-scale research project, Oceanus alleges that the release would satisfy the research framework set out under annexes to the London Protocol. *Id.*; see also discussion of London Protocol annexes *infra*.

50. See, e.g., Charles-François de Lannoy et al., *Indirect Ocean Capture of Atmospheric CO₂: Part I. Prototype of a Negative Emissions Technology*, 70 *INT'L J. GREENHOUSE GAS CONTROL* 243-53 (2017), <https://doi.org/10.1016/j.ijggc.2017.10.007>; Matthew D. Eisaman et al., *CO₂ Extraction From Seawater Using Bipolar Membrane Electrodialysis*, 5 *ENERGY & ENVTL. SCI.* 7346, 7352 (2012).

51. Elias Y. Feng et al., *Model-Based Assessment of the CO₂ Sequestration Potential of Coastal Ocean Alkalinization*, 5 *EARTH'S FUTURE* 1252-66 (2017), available at <https://doi.org/10.1002/2017EF000659>.

52. NAS REPORT, *supra* note 11, at 62 box 3.3.

53. *Id.*

54. Most analyses of accelerated weathering or mineral capture of CO₂ focus on the rate of uptake of CO₂ by the minerals. As a result, they typically note that mineral capture results in the permanent, or near permanent, sequestration of CO₂ from the atmosphere. *Id.* at 40-41; Jürg M. Matter & Peter B. Kelemen, *Permanent Storage of Carbon Dioxide in Geological Reservoirs by Mineral Carbonation*, 2 *NATURE GEOSCIENCE* 837-41 (2009); David S. Goldberg et al., *Carbon Dioxide Sequestration in Deep-Sea Basalt*, 105 *PROC. NAT'L ACAD. SCI.* 9920 (2008). See also Greg H. Rau et al., *Direct Electrolytic Dissolution of Silicate Minerals for Air CO₂ Mitigation and Carbon Negative H₂ Production*, 110 *PROC. NAT'L ACAD. SCI.* 10095 (2013).

55. NAS REPORT, *supra* note 11, at 42-47. See also Matter & Kelemen, *supra* note 54, at 838; Goldberg et al., *supra* note 54, at 9920-21; B. Peter McGrail, *Potential for Carbon Dioxide Sequestration in Flood Basalts*, 111 *J. GEOPHYSICAL RES.* 11-12 (2006).

56. Jasper Griffioen, *Enhanced Weathering of Olivine in Seawater: The Efficiency as Revealed by Thermodynamic Scenario Analysis*, 575 *SCI. TOTAL ENV'T* 536-44 (2017).

57. NAS REPORT, *supra* note 11, at 46-47.

basalt formations (rather than grinding the basalt for accelerated weathering) have seen notable success.⁵⁸

D. BECCS

The use of biological materials—usually crops or other plants—as an energy source has long held an important role in the energy economy.⁵⁹ For example, the production of biomass energy in the United States has included ethanol and methanol produced from agricultural crops as a source of liquid fuels for transportation. The production of biomass energy also encompasses the burning of wood and other silvicultural products to produce energy from large power plants that might otherwise use fossil fuels.⁶⁰ Experts remain deeply divided on whether the use of biomass to produce fuels or energy feedstocks actually reduces total GHG releases over the entire life cycle of the fuel's production.⁶¹

The combination of biomass with CCS, however, has emerged as a leading potential technology to produce carbon-neutral energy or net negative emissions power. Under this approach, a power plant operator collects plants or other biomass materials and either converts them into hydrogen or burns them directly to generate energy. The

power plant then captures the GHG emissions from the burning process and permanently sequesters them, typically by injecting them in a nearby geological formation or including them in a carbon-based product (e.g., cement).⁶² Because current mitigation efforts have yielded insufficient GHG reductions to meet the Paris Agreement's global temperature target of 2°C (much less its aspirational goal of 1.5°C), almost all of the IPCC model runs that show a high likelihood of attaining those targets rely on the extensive use of BECCS.⁶³

The growing focus on BECCS has raised concerns that this technology could have unexpected and damaging side effects. In particular, the increasing reliance on BECCS in strategies to achieve the Paris Agreement's temperature goals has spurred warnings that the broad deployment of BECCS could disrupt or damage agriculture, water supplies, ecosystems, and fertilizer supplies.⁶⁴ For example, the use of BECCS to remove 600 Gt CO₂ by 2100 (a median estimate) would likely require the dedication of 430 to 580 million hectares of land to crops solely for CO₂ removal—nearly one-half the land area of the United States, or one-third of the current total arable land on earth.⁶⁵

This enormous commitment of land surface to BECCS would create conflicts with agricultural needs for a growing global human population,⁶⁶ biodiversity protection,⁶⁷ albedo modification,⁶⁸ and sustainable land use. The heavy use of BECCS in conjunction with current global land use patterns for agriculture would also require the elimination of the majority of natural ecosystems.⁶⁹ It would also demand vastly increased use of nitrogen fertilizers that, in combination with existing agricultural fertilizer use, would add to the current exceedance (by a factor of two) of the suggested planetary boundary for nitrogen.⁷⁰ This use of nitrogen fertilizer would, ironically, also lead to substantial additional emissions of non-CO₂ GHGs.⁷¹

58. Deirdre E. Clark et al., *Monitoring of CO₂/H₂S Gas Mixture Injection in Basaltic Rocks at Hellisheiði Geothermal Power Plant, Iceland*, 18 GEOPHYSICAL RES. ABSTRACTS EGU2016-14713-1 (2016) (rapid incorporation of CO₂ from geothermal power facility into basaltic formation).

59. One form of biological capture of carbon for sequestration—biochar—will not be discussed in detail in this Article. Biochar results from the combustion of biomass at a relatively low temperature (300-600°C) without oxygen to form charcoal. This form of organic carbon is relatively stable, and the conversion of biomass into biochar would slow the release of GHGs to the atmosphere via decomposition. The biochar would be added to soil as a conditioner for agricultural purposes.

The classification of biochar as a NET, however, raises difficulties. First, the production of biochar yields less net useable energy per unit of carbon emitted to the atmosphere than does combustion of the same material. Combusting the biomass to produce energy therefore would offset more fossil fuel and reduce GHG emissions more than using it as biochar feedstock. For these reasons, the NAS chose to exclude biochar from consideration as a NET. NAS REPORT, *supra* note 11, at 39. The use of biochar as a GHG reduction technique is discussed in Peter Lehner & Nathan A. Rosenberg, *Legal Pathways to Carbon-Neutral Agriculture*, 47 ELR 10845 (Oct. 2018).

60. In the United States, woody biomass is often used on-site by industrial operators who rely on pulp feedstocks (e.g., paper and furniture production) and for small-scale power production in agricultural operations and rural communities. The use of biomass production in Europe occurs on a larger scale in part as a GHG mitigation strategy. *Despite Biomass Provisions in Omnibus, Biomass Woes Far From Over*, ENVTL. & ENERGY STUDY INST., May 12, 2017, <http://www.eesi.org/articles/view/despite-biomass-provisions-in-omnibus-biomass-woes-far-from-over>. Congress recently directed federal agencies to treat biomass energy production as a carbon-neutral source of power, but it remains unclear whether this exemption will materially benefit the industry in light of recent federal efforts to rescind GHG emissions restrictions. *Id.*; see also Consolidated Appropriations Act, 2017, Pub. L. No. 115-31, §428, 131 Stat. 135.

61. The debate over the GHG benefits of corn-based ethanol fuels in the United States, for example, continues unabated. *Compare* U.S. DEPARTMENT OF AGRICULTURE, A LIFE-CYCLE ANALYSIS OF THE GREENHOUSE GAS EMISSIONS OF CORN-BASED ETHANOL 4-6 (2017) (GHG emissions from corn-based ethanol in the United States are 43% lower than gasoline when measured on an energy-equivalent basis), *with* John M. DeCicco et al., *Carbon Balance Effects of U.S. Biofuel Production and Use*, 138 CLIMATIC CHANGE 667 (2016) (U.S. biofuel use resulted in a net increase, rather than a decrease, in CO₂ emissions).

62. Daniel L. Sanchez et al., *Biomass Enables the Transition to a Carbon-Negative Power System Across Western North America*, 5 NATURE CLIMATE CHANGE 230, 231-34 (2015).

63. Anderson & Peters, *supra* note 5, at 183 ("Although BECCS, like all negative-emission technologies, is subject to scientific and political uncertainties, it dominates the scenario landscape. Yet, as recognition of the ubiquitous role of BECC in mitigation scenarios has grown, so have concerns about its deployment.")

64. Kate Dooley & Sivan Kartha, *Land-Based Negative Emissions: Risks for Climate Mitigation and Impacts on Sustainable Development*, 18 INT'L ENVTL. AGREEMENTS: POLITICS, L. & ECON. 79-98 (2018), <https://doi.org/10.1007/s10784-017-9382-9>.

65. Phil Williamson, *Scrutinize CO₂ Removal Methods*, 530 NATURE 153, 154 (2016).

66. Christopher Field & Katharine Mach, *Rightsizing Carbon Dioxide Removal*, 356 SCIENCE 706, 707 (2017) (in its latest report, the IPCC identified 116 integrated assessment models that had a 66% or better chance of limiting global warming to 2°C by 2100, and more than 101 used carbon dioxide removal (CDR)—mostly BECCS—at levels with median commitment of 12 billion tons annually, which would require land use approaching 80% of total global cropland or up to 8% of the earth's total land area).

67. Williamson, *supra* note 65, at 154 (widespread reliance on BECCS to reach the 2°C goal would cause a loss of terrestrial species by 2100 that would exceed losses from a temperature increase of 2.8°C above pre-industrial levels).

68. Lena R. Boysen et al., *The Limits to Global-Warming Mitigation by Terrestrial Carbon Removal*, 5 EARTH'S FUTURE 463, 470 (2017).

69. *Id.* at 468.

70. *Id.* at 470.

71. *Id.* at 468.

The other concerns raised about BECCS center on its readiness for broad use. To date, only one demonstration BECCS plant is in operation in the United States,⁷² and several researchers have publicly warned against heavy reliance on such an unproven technology as a policy to reach the Paris Agreement's 2°C goal.⁷³ The economic side effects of broad cultivation of biomass for energy production may also produce unexpected market disruptions and distortions in biomass supply and demand.

In sum, all of these NETs are still struggling to get out of the laboratory. Initial feasibility studies have yet to verify that these techniques can reliably and safely work at a bench scale, and researchers will then have to meet the much larger challenges of broad scalability before we can assess their potential for mass deployment and their economic efficiency. In addition, even if these techniques successfully withdraw CO₂ from the ambient atmosphere, their ultimate effectiveness may be slowed by a "rebound effect" caused by off-gassing of CO₂ contained in marine waters in response to the lowered atmospheric concentrations.⁷⁴ Nonetheless, the general physical processes and likely technological pathways for each of these approaches seem well understood, and we can begin to forecast how current laws and environmental policies might aid, or impede, the development and deployment of NETs.

III. Legal Reforms Needed to Maximize Use of NETs to Achieve Deep Decarbonization by 2050

The deployment of NETs on a scale large enough to significantly affect anthropogenic climate change will likely face numerous legal barriers and constraints. The exact nature of each challenge, however, will heavily depend on the specific aspects of the technology itself. The analysis offered below focuses more broadly on general aspects of NETs that each individual approach will share, but specific projects will likely require a closer examination to identify the unique and individual legal problems and options that each of them will create.

Before detailing the potential legal hurdles for wide-scale implementation of NETs, it is important to note several important features that will likely make NETs less legally controversial than other forms of climate engineering that do not rely on deep decarbonization or DAC (such as SRM or marine cloud brightening). First, the large-scale removal of CO₂ from the atmosphere would result in a comparatively slow reduction in the current pace of

increases in ambient CO₂ levels because a noticeable reduction in the rise of global surface temperatures would theoretically need the removal of enormous amounts of CO₂.⁷⁵ Even preliminary estimates predict that full-scale removal of CO₂ using NETs would not result in measureable reductions in expected surface temperatures or the predicted rate of warming for several decades, although such removals could play a key role in conjunction with GHG emissions reductions as part of a larger mitigation strategy.⁷⁶

Second, the broad implementation of NETs is, at heart, a reversible process. If the use of NETs sparked significant concerns or objections, the termination of NETs would not result in immediate or accelerated climate change effects. By contrast, halting SRM could cause catastrophically accelerated climate change impacts. Because SRM only offsets the warming effects of heightened CO₂ levels without addressing their root cause, it could theoretically allow ambient GHG levels to rise if humanity continued to emit them at high rates while under a stratospheric (or even orbital) sunscreen. Like driving with one foot on the brake and another on the accelerator, suddenly lifting the brake—here, by halting SRM that had offset a period of untrammled GHG emissions—would produce a jolt of climate change effects at a rate double or triple the current pace.⁷⁷ If society commits to NETs and then suspends the effort, the effects of climate change would simply resume at their expected pace.

Third, NETs would rely on reassuringly familiar physical infrastructure and technologies for its deployment. This is in contrast to SRM, marine cloud brightening, or other novel technological options to offset climate change effects. For example, the installation of a DAC

72. Anderson & Peters, *supra* note 5, at 183 ("[d]espite the prevalence of BECCS in emission scenarios at a level much higher than afforestation, only one large-scale demonstration plant exists today").

73. See, e.g., *id.*; Boysen et al., *supra* note 68; Williamson, *supra* note 65; Field & Mach, *supra* note 66.

74. VASSILIKI MANOUSSI ET AL., FONDAZIONE ENI ENRICO MATTEI, WORKING PAPER NO. 57.2017, OPTIMAL CARBON DIOXIDE REMOVAL IN FACE OF OCEAN CARBON SINK FEEDBACK (2017), available at <http://ageconsearch.umn.edu/record/266288>. Some calculations predict that rebound effects could offset up to one-half of the CO₂ that NETs and DAC might remove from the atmosphere. NAS REPORT, *supra* note 11, at 25.

75. The removal of one ppm by volume of CO₂ from the ambient atmosphere would generate 2.13 Gt carbon, or 7.8 Gt CO₂. See CARBON DIOXIDE INFORMATION ANALYSIS CENTER, OAK RIDGE NATIONAL LABORATORY, GLOSSARY: CARBON DIOXIDE AND CLIMATE (F.M. O'Hara Jr. ed., 3d ed. 1990) (ORNL/CDIAC-39). Removing enough CO₂ to reduce ambient levels from 400 ppm to 350 ppm would therefore create approximately 390 Gt CO₂ that would require either sequestration or reuse. By comparison, all anthropogenic GHG emissions in 2010 totaled 49 Gt CO₂e (±4.5 Gt). See IPCC, *Summary for Policymakers*, in CLIMATE CHANGE 2014: MITIGATION OF CLIMATE CHANGE, CONTRIBUTION OF WORKING GROUP III TO THE FIFTH ASSESSMENT REPORT OF THE INTERGOVERNMENTAL PANEL ON CLIMATE CHANGE 6 (Ottmar Edenhofer et al. eds., Cambridge Univ. Press 2014). See also NAS REPORT, *supra* note 11, at 25:

Reducing CO₂ concentration by 1 ppm/yr would require removing and sequestering CO₂ at a rate of about 18 GtCO₂/yr; reducing CO₂ concentration by 100 ppm would require removing and sequestering a total of about 1800 GtCO₂ or roughly the same amount of CO₂ as was added to the atmosphere from 1750 to 2000.

76. ROYAL SOCIETY, *supra* note 28, at 21 ("[CDR technologies] have a slow effect on the climate system due to the long residence time of CO₂ in the atmosphere and so do not present an option for rapid reduction of global temperatures"); NAS REPORT, *supra* note 11, at 3, 72-73 ("[CDR] may produce only modest climate effects within decades").

77. By some accounts, such a halting of SRM could cause climate change effects to take place at double or triple the pace expected if GHG emissions remain unabated during the temporary use of SRM. For this (and many other) reason, the use of SRM poses fundamentally different policy and legal challenges than the adoption of DAC. DAVID KEITH, A CASE FOR CLIMATE ENGINEERING xx-xxi (2013) ("[t]his divergence of costs and risks means that the challenges solar geoengineering and carbon removal raise for policy and governance are almost wholly different").

unit or array would use the same type of capital machinery deployment, land acquisition, site development, and utility and power infrastructure that we would expect for a pipeline or modest power production facility.⁷⁸ While the use of these construction and infrastructure approaches could raise significant and important concerns (e.g., the impact of DAC deployment within a protected species' critical habitat), those risks would be fundamentally familiar and amenable to conventional environmental assessment and permitting procedures.

Last, the full deployment of NETs would likely result in only a diffuse impact on the local ambient atmosphere surrounding the NET facilities. Given the low concentrations of CO₂ under ambient atmospheric conditions and the long residence time of emissions, CO₂ becomes well-mixed under normal conditions and quickly reaches a stable concentration level on a global basis. Given these constraints, even a large-scale operation likely would not uptake CO₂ at a rate substantially higher than the rate at which CO₂ from other regions would flow in to replace it.⁷⁹

While these general features suggest that NETs will not pose some of the heightened concerns of other climate engineering methods, they will nonetheless face significant legal barriers to their full deployment. These barriers in turn may prevent or at least materially impair NETs from assisting in the deep decarbonization of the U.S. economy needed to attain the Paris Agreement temperature targets. As noted previously, the legal issues will likely arise in three categories: (1) getting the necessary permission and approvals needed to construct and initiate NET facilities; (2) managing the legal obligations that might apply to typical NET operations; and (3) identifying and minimizing any environmental or physical risks arising from NET wastes and emissions that could cause legal liability. This section discusses each category in turn.

A. Legal Permissions and Authorizations to Construct and Initiate NET Operations

As with any other significant industrial or commercial operation that might affect the environment, the construction and startup of certain types of NETs may trigger requirements to obtain environmental permits or authorizations. Until the precise physical parameters of a large-scale mechanical NET operation come into focus, however, it is difficult to predict what environmental authorizations or permits they will need. For example, if a DAC unit will use compression equipment that emits significant amounts of conventional air pollutants, the operator may need to

obtain a preconstruction permit for emissions regulated under the federal Clean Air Act's (CAA's)⁸⁰ programs for prevention of significant deterioration (PSD) or nonattainment new source review (NNSR). It is unclear, however, whether such technologies will require the use of ancillary equipment that will constitute a major source under either the PSD, NNSR, or analogous state air quality programs.⁸¹

Until the precise aspects of a NET facility are established, a wide range of possible environmental authorization and permitting obligations may apply to the unit's construction, startup, and authorization (and, ultimately, its shutdown and decommissioning). Notably, almost all of these requirements will be the typical environmental, health, and safety regulatory approvals needed for any large capital construction project with potentially significant environmental effects. Some aspects of particular types of NET operations, however, may trigger unusual environmental permitting obligations that would uniquely apply to its type of production and operation.

As an initial step, an agency would need to address the fundamental conundrum of regulating an activity that *removes* a pollutant from the ambient atmosphere. The federal CAA only prohibits the emission of pollutants without authorization, and the removal of gases from the ambient atmosphere would normally not trigger regulatory concern unless another person suffered an environmental impact or had an ownership claim in the removed gas. Industrial gas producers who collect, condense, and liquefy ambient atmospheric gases have historically not needed an environmental permit to authorize the removal of gases.⁸² Under these precedents, the core feature of NETs—removal of GHGs from the atmosphere—will almost certainly fall outside permitting requirements under federal or state CAAs.⁸³

78. This assumption relies on current models of DAC under development in research laboratories. A large-scale DAC process that uses novel or unexpected technological approaches, of course, might require the use of unanticipated methods and resources for its construction.

79. U.S. EPA, *Overview of Greenhouse Gases* (discussing residence and mixing times of CO₂), <https://www.epa.gov/ghgemissions/overview-greenhouse-gases> (last updated Apr. 14, 2017). If DAC processes reach unexpectedly effective and speedy removal rates, however, the local impact on CO₂ on the surrounding ambient airshed might require further assessment and legal consideration.

80. 42 U.S.C. §§7401-7671q.

81. Even if federal and state requirements applicable to major sources will not apply to certain DAC facilities, other state environmental laws and permitting requirements may still affect the DAC unit's operation. For example, many states maintain minor source permitting programs that could apply even to DAC units that emit only low levels of regulated air pollutants. *See, e.g.*, 30 TEX. ADMIN. CODE ch. 117, subch. D (regulation of minor sources in ozone nonattainment areas).

82. *See, e.g.*, Texas Commission on Environmental Quality, Site Operating Permit Revision Application Guidance 10 attachment C (2017) (list of insignificant activities whose emissions do not require New Source Review or Title V permits includes "[a]ny air separation or other industrial gas production, storage, or packaging facility. Industrial gases, for purposes of this list, include only oxygen, nitrogen, helium, neon, argon, krypton, and xenon.") The U.K. has taken a similar position. Environment Agency, Regulatory Position Statement 032: Permitting of Air Separation Units (Nov. 2015), https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/477544/LIT_9932.pdf. In general, atmospheric gases fall within the category of *res ferae* natural items that no person owns until they are captured or controlled.

83. Recent cases seeking to declare that the atmosphere and its constituent gases fall within the public trust doctrine, however, might alter this legal preconception if a court determines that the public has an undifferentiated right to the atmosphere under which governments have a fiduciary duty to protect. *See, e.g.*, Michael C. Blumm & Mary Christina Wood, "No Ordinary Lawsuit": *Climate Change, Due Process, and the Public Trust Doctrine*, 67 AM. U. L. REV. 1 (2017).

Environmental impact assessments. The National Environmental Policy Act (NEPA)⁸⁴ and its regulations⁸⁵ require an environmental review of major federal actions that may affect the environment. This review can take the form of an abbreviated environmental assessment, a finding of no significant impact (FONSI), a programmatic EIS, or a full-blown EIS that examines the effects in detail of a particular project. This review must include an assessment of the indirect and cumulative effects of the project.

NEPA may apply to NETs if the operations either use significant federal funding or require certain federal governmental authorization or participation.⁸⁶ If so, the person proposing a NET project would need to conduct an environmental assessment or EIS review. While the federal Council on Environmental Quality (CEQ) has previously stated that projects with a significant impact on climate change can require an environmental review under NEPA, its assessment largely focused on projects that emit GHGs into the atmosphere.⁸⁷ CEQ has now withdrawn the guidance,⁸⁸ but the legal effect of that withdrawal on future judicial interpretations of NEPA's obligations for climate change assessment is uncertain. It remains unclear whether the removal of significant amounts of GHGs would require a similar assessment,⁸⁹ although NEPA and CEQ's implementing regulations also provide for an environmental review if a project can spark significant public interest or controversy, or if it will involve a novel or precedent-setting action.⁹⁰

Alternatively, the responsible federal agency conducting the environmental review may choose from several tools to minimize the delay or disruption that a full EIS may cause for a NET project. Some of these tools could include a categorical exception for certain types of NET facilities that fall within certain parameters or size limits, a programmatic EIS that would prospectively approve most aspects of NET projects that fall within the program, or a FONSI that would remove the need to prepare a full EIS for a particular project or group of NET activities.⁹¹ Given concerns raised about blind spots created by prior categorical exceptions that resulted in reduced environmental scrutiny in other sensitive areas (such as offshore deepfield oil exploration and production), this strategy should be used only with caution and careful evaluation.

Some states have their own environmental review statutes, and these can apply to more activities than the federal NEPA program, or mandate greater investigation or review by the project proponent. For example, New York and California have mini-NEPAs that have significantly broader reach, and each state has acted more aggressively than many federal agencies to require an environmental impact assessment for the climate change impacts of particular projects.⁹² Even if a federal agency determines that a specific NET project does not require an EIS, a state agency might nonetheless choose to require one for a project within the state's jurisdiction.⁹³

Land acquisition and use authorization. Depending on its precise configuration and process, the broad deployment of NETs may require the acquisition or use of broad swaths of land or coastline. Under one early estimate, for example, some projections of land use by terrestrial DAC could require the dedication of up to 100,000,000 acres of Bureau of Land Management (BLM) territory in the southwestern United States to generate clean solar energy that would power the DAC process.⁹⁴ This acreage would equal nearly 42% of all public lands under BLM's control. If a NET relies on the use of dispersed olivine grains onto land or coastal surfaces, it could also occupy a very large surface area.

As a result, early assessments of NET strategies frequently raised concerns that this technology would require the acquisition of fee simple title, leasehold, or other type of access permission or authorization to enter and use surface properties.⁹⁵ The potential dedication of large surface land area to NETs also led to criticisms that they could have unforeseen effects on vulnerable species that relied on

84. 42 U.S.C. §§4321 et seq.

85. 40 C.F.R. §§1500 et seq. (2017).

86. While the issuance of permits pursuant to programs delegated to states under the federal CAA or the Resource Conservation and Recovery Act (RCRA) typically have not required an environmental review under NEPA, decisions to grant a federal §404 permit under the CWA can require an environmental impact assessment or other review. See 33 U.S.C. pt. 325, app. B (U.S. Army Corps of Engineers regulations to implement NEPA environmental assessment requirements).

87. Memorandum From Christina Goldfuss, CEQ, to Heads of Federal Departments and Agencies 18 (Aug. 1, 2016) (Final Guidance for Federal Departments and Agencies on Consideration of Greenhouse Gas Emissions and the Effects of Climate Change in National Environmental Policy Act Reviews) (discussing mitigation options for GHG emissions). The Trump Administration has ordered the withdrawal of this guidance as well, and it appears unlikely that federal agencies will need to include GHG emissions effects in future environmental assessments to satisfy CEQ regulatory guidance or standards. Exec. Order No. 13783, *supra* note 39, sec. 3(c). However, judicial decisions have called for such analysis even in the absence of the CEQ guidance. *E.g.*, Center for Biological Diversity v. National Highway Traffic Safety Admin., 538 F.3d 1172, 38 ELR 20214 (9th Cir. 2008).

88. Withdrawal of Final Guidance for Federal Departments and Agencies on Consideration of Greenhouse Gas Emissions and the Effects of Climate Change in National Environmental Policy Act Reviews, 82 Fed. Reg. 16576 (Apr. 5, 2017).

89. See, e.g., Shaun A. Goho, *NEPA and the "Beneficial Impact" EIS*, 36 WM. & MARY ENVTL. L. & POL'Y REV. 367 (2012) (contending that, despite apparently conflicting decisions, federal actions that yield only an environmental benefit without any disadvantages should not require preparation of an EIS).

90. CEQ's regulations that define whether a major federal action "significantly" affects the environment require an agency to consider both the context and intensity of the action. In particular, an action's "intensity" can include whether the effects are "highly controversial," "highly uncertain or involve unique or unknown risks," or the action "may establish a precedent for future actions with significant effects or represents a decision in principle about a future consideration." 40 C.F.R. §1508.27(b)(4)-(6) (2017).

91. CEQ, REPORT ON THE NATIONAL ENVIRONMENTAL POLICY ACT STATUS AND PROGRESS FOR AMERICAN RECOVERY AND REINVESTMENT ACT OF 2009 ACTIVITIES AND PROJECTS (2009).

92. Michael B. Gerrard, *Greenhouse Gases: Emerging Standards for Impact Review*, 241 N.Y. L.J. 1-2 (2009), available at <http://columbiaclimatelaw.com/files/2016/06/Gerrard-2009-03-Standards-for-GHG-Impact-Review.pdf>.

93. If a federal agency undertakes an environmental assessment and issues a FONSI from the project, some state laws would not require a further additional state environmental impact assessment. *Id.*

94. NAS REPORT, *supra* note 11, at 75.

95. *Id.* at 68, 75; Holly Buck, *Rapid Scale-Up of Negative Emissions Technologies: Social Barriers and Social Implications*, 139 CLIMATIC CHANGE 155 (2016).

critical habitat and jeopardize valuable alternative uses of those lands (e.g., agricultural food production).

These concerns persist, and they may lead to legal constraints that would impede the broad implementation of NETs. But subsequent development of potential technologies promises to alleviate some of these legal objections. For example, at least one of the DAC methods under development would use relatively small modular units that collocated or stacked vertically.⁹⁶ This arrangement promises much greater operational efficiency and reduced demands for surface land space. In addition, these types of land use demands also hover over other large-scale renewable energy technologies or decarbonization strategies (in particular, techniques that rely on BECCS). To the extent NETs face these challenges, they differ only in degree rather than quality. Moreover, some NETs under development rely on natural wind rather than fans for air flow, and thus have low electricity demands.

In addition to surface land area, many versions of NETs will likely require the acquisition and use of subsurface strata or geologic formations to sequester captured CO₂. To some extent, these challenges will mirror the same legal hurdles that will face the deployment of CCS in large-scale industrial operations and power production. Many of the same legal steps and strategic approaches that promote the use of captured CO₂ for secondary hydrocarbon production (such as state legislation to clarify the ownership status of pore space in mineral estates, or regulatory determinations on the status of sequestered CO₂ as a potentially hazardous waste under federal and state waste management statutes) could also be used for CO₂ captured by NETs for permanent sequestration. These issues are discussed in greater detail in the following section.

B. Legal Permits and Compliance Obligations for Ongoing NET Operations

Even if the core action of removing GHGs from the atmosphere does not require environmental permitting or authorization, NET operations may require corollary industrial activities that could trigger other environmental obligations. Some of the most notable are listed in this section.

Integration into GHG permitting and trading. NET operations, by definition, will almost certainly not emit sufficient CO₂ to trigger requirements to obtain a permit for GHG emissions under the federal CAA's PSD program. This legal framework requires major emitters of criteria air pollutants to obtain permits that limit their emissions to amounts that would keep the ambient air from growing significantly worse or failing to meet national ambient air quality standards (NAAQS).⁹⁷ First, the legal basis for

requiring PSD permits for sources that emit only CO₂ is highly questionable after the U.S. Supreme Court rejected EPA's regulations to control CO₂-only sources, especially given President Donald Trump's subsequent order that EPA reconsider and withdraw its regulations to control GHG emissions from new and existing fossil-fueled power plants.⁹⁸ Even if the compression equipment, power supplies, or other ancillary operations associated with NET units emit enough other conventional pollutants to require issuance of a PSD or NNSR permit and therefore weigh possible GHG reductions in selecting control technologies, the use of netting or offsets due to the GHGs removed by the NET⁹⁹ would likely exempt the facility from the need to consider GHG controls associated with its control technologies used for other regulated pollutants.

The removal of GHGs from the atmosphere may also create tradable emissions reduction credits for use in PSD or NNSR programs for other industrial sectors, state GHG control programs, or internationally tradable credits authorized under other nations' GHG programs. If so, NETs may theoretically become integrated into federal and state CAA permitting as a tool to allow GHG emitters to come into compliance with emission limits through the purchase of offsets or emissions reduction credits. To date, however, EPA and state environmental agencies have not addressed whether GHGs removed through NETs would create emissions reductions that can be banked, traded, or used for offsets or netting.¹⁰⁰

Some states, and ultimately the federal government, may choose to discourage GHG emissions through use of a carbon tax or tax credits.¹⁰¹ To the extent that NETs result in the large-scale removal of CO₂ or other GHGs, federal

SCIENCES, AIR QUALITY MANAGEMENT IN THE UNITED STATES 177-86 (2004) (same).

98. *Utility Air Regulatory Group v. Environmental Prot. Agency*, 134 S. Ct. 2427, 44 ELR 20132 (2014); Exec. Order No. 13783, *supra* note 39, sec. 4 (directing review and, if warranted, withdrawal of Clean Power Plan).
99. See REITZE, *supra* note 97, at 184 (general discussion of using bubbling, netting of internal emissions, and offsets from internal and external sources of emissions to keep a facility's emissions below a threshold that would trigger permitting requirements under Title I of the federal CAA).
100. EPA proposed limits on GHG emissions for new fossil-fueled power plants that anticipate the use of CCS by the power plant. To the extent that capturing CO₂ at the emission points of a power plant are analytically indistinguishable from CO₂ captured outside the plant's fenceline, EPA's acceptance of CCS for new source performance standards might suggest that CO₂ captured by DAC could be used to demonstrate attainment or compliance with a performance standard (assuming the emission captures were reliable, verifiable, and quantifiable, and that DAC operations did not create other environmental harms or perverse incentives). Given the pending reconsideration and likely withdrawal of these rules as part of the Trump Administration's reconsideration of the Clean Power Plan, however, this option is now likely purely hypothetical.
101. The Clean Power Plan had preserved the option for states to adopt a carbon tax as a strategy to demonstrate attainment of the emissions reductions required by the rule. *But see* discussion *supra* note 39 (reconsideration, and likely withdrawal, of Clean Power Plan). To date, no state has adopted a carbon tax as a method of GHG reduction or for regulatory compliance purposes. YORAM BAUMAN & CHARLES KOMANOFF, CARBON TAX CENTER, OPPORTUNITIES FOR CARBON TAXES AT THE STATE LEVEL 7-8 (2017), available at https://www.carbontax.org/Opportunities_for_Carbon_Taxes_at_the_State_Level.pdf. If a state adopted a carbon tax, it is unclear whether the federal government would allow individuals or businesses to deduct their payment of state carbon taxes from their federal tax obligations (either as a business expense or as a state tax).

96. Lawrence Krauss, *Cutting Carbon Dioxide Isn't Enough*, SLATE, May 13, 2013, http://www.slate.com/articles/technology/future_tense/2013/05/direct_air_carbon_capture_technology_must_be_developed_to_help_fight_climate.html.

97. ARNOLD W. REITZE, STATIONARY SOURCE AIR POLLUTION LAW 174-80, 195-202 (2005) (general description of the PSD permitting program). *See also* NATIONAL RESEARCH COUNCIL OF THE NATIONAL ACADEMY OF

taxation laws and regulations may need to address whether persons who generate negative emissions can qualify for a tax credit or rebate. In analogous circumstances, the federal government has generally not allowed the taxation of an activity as a form of regulation or discouragement (e.g., “sin taxes” on liquor and cigarettes) to automatically enable the payment of tax credits or rebates to persons who actively remove those undesirable goods or activities from the market.¹⁰² While EPA and delegated states would likely have the regulatory authority to authorize tradable credits or tax rebates for GHGs removed directly from the atmosphere, that step would almost certainly require legislation or rulemaking.

Environmental authorization for commercial products or fuels generated by NET operations, including captured CO₂ streams. Some proposed removal technologies would create a pure CO₂ stream that can serve as a commercial feedstock or product itself. These uses, for example, can include using a captured pure CO₂ stream to produce synthetic fuels.¹⁰³ If this type of synthetic fuel was eventually marketed in the United States for use in light-duty automobiles or other mobile sources, that fuel would have to satisfy regulatory requirements under Title II of the federal CAA. These requirements include stringent limits on the volatility, oxygen content, sulfur concentrations, viscosity, and other qualities and components of fuels commercially marketed to be burned for energy.¹⁰⁴ (The DDPP scenarios all assume that by 2050, light-duty vehicles will make limited use of liquid fuels.)

Potential tort liability for damages proximately caused by NETs. If a NET facility operates in a fashion that purportedly injures particular individuals or the public at large, the persons responsible for the operation may face private and public tort actions. For example, if a DAC facility withdraws enough CO₂ at a fast enough rate to arguably affect local environmental conditions or ecosystems, landowners who reside near the facility may claim that the operators have created either a public or private nuisance or have acted negligently in their operation of the plant.¹⁰⁵ Admittedly, this prospect appears extremely unlikely given the removal

rates promised by current technologies and the fast mixing rates of ambient CO₂. But the scales of DAC required to approach a significant impact on existing CO₂ stockpiles in the atmosphere may theoretically spur development of future technologies that might raise this concern in future permitting or approval deliberations. Alternatively, emissions from other associated equipment or water and waste discharges may interfere with the ability of nearby landowners to enjoy the use of their property in a fashion that gives rise to a private nuisance claim, but these types of tort claims for ancillary emissions are common features to any industrial operation and are not unique to NET facilities.

More powerfully, NET operations that purportedly interfere with a right held by the public in general—for example, preventing damage to public resources such as public waterways or ambient air—can spark a public nuisance action. While such actions might typically be brought by the governmental authority with responsibility for the public resource or right imperiled by the NET operation, private parties could also bring a public nuisance action if they can prove that they suffered a special injury distinct from the general public.¹⁰⁶ Such claimants, however, will face difficult challenges in proving that the NET’s reductions of CO₂ have directly and proximately caused their special injuries. The facility operator could also respond that the NET operation serves larger public interests that outweigh the special injury underlying the alleged public nuisance.¹⁰⁷

Authorizations for marine-based NETs. Beyond attempts by domestic governments to halt or regulate OIF projects in their jurisdictional waters, the prospect of field testing OIF on the high seas has already spurred action under international agreements to protect marine waters. For example, some of the Parties to the London Convention, the primary international agreement to restrict disposal of pollution into international waters,¹⁰⁸ have entered into a

ability if he or she undertakes action to save the life or property of another person. See discussion *supra* note 14.

106. Denise E. Antolini, *Modernizing Public Nuisance: Solving the Paradox of the Special Injury Rule*, 28 *ECOLOGY L.Q.* 755 (2001).

107. One tort action frequently brought against environmental releases or disturbances—trespass—will have a less likely role in challenges to DAC. Trespass actions require the intentional invasion of the real property interests of another party. Absent any direct intrusion onto an adjoining property, with DAC, the action that might affect a nearby landowner would be the removal of CO₂ from the ambient atmosphere that might otherwise pass over the neighbor’s land. From this perspective, the removal of such airborne gas might constitute a reverse trespass (taking of something that another person might expect to cross onto his or her property). Cf. J.B. Ruhl, *Making Nuisance Ecological*, 58 *CASE W. RES. L. REV.* 753 (2008) (action on one’s own property that indirectly results in degradation of ecosystem services on another person’s property may constitute actionable tort). If they do not have a property right in the CO₂ captured on someone else’s land, however, the adjoining neighbors probably do not have a trespass or wrongful taking tort action.

108. The London Convention is an international organization consisting of 86 Member States, and it implements the London Convention of 1972. This Convention controls the discharge of pollutants into the high seas. In 1996, the Parties to the Convention agreed to the London Protocol as a step to modernize the Convention and—ultimately—to replace it. The London Protocol takes a muscular stance by prohibiting all dumping into the high seas (except for potentially acceptable wastes on the so-called reverse list). The Protocol entered into force on March 24, 2006, and 38 States have

102. A person who purchases tobacco or alcohol (or their precursors) to remove them from the market typically cannot seek credits or reimbursement of the taxes that a consumer of those goods would have ultimately paid if they had otherwise been sold and consumed. The Internal Revenue Code, for example, does not provide any exemption from cigarette excise taxes to persons who purchase cigarettes for non-consumptive use (other than transfers of title associated with bonding in warehouses). 26 U.S.C. §5407.

103. Carbon Engineering, *Air to Fuels*, <http://carbonengineering.com/about-a2f/> (last visited Mar. 19, 2018); see also Hilary Brueck, *This Company Wants to Recycle Carbon Dioxide From the Atmosphere*, *FORBES*, July 24, 2015, <https://www.forbes.com/sites/hilarybrueck/2015/07/24/this-company-wants-to-recycle-carbon-dioxide-from-the-atmosphere/#13db3f79212e>. The relative purity of the CO₂ stream generated by this company’s DAC process would presumably make it suitable for use in manufacturing, pharmaceuticals, food processing, and enhanced oil recovery operations.

104. 42 U.S.C. §§7521-7590 (Title II of the federal CAA, setting out standards for fuels for on-road and off-road vehicles, aviation, motor emission specifications, clean vehicles requirements, and renewable biofuels).

105. Interestingly, once a person begins a DAC operation, he or she may incur an ongoing duty to perform it competently even if the person had no duty to originally undertake the DAC. Many states have Good Samaritan laws, however, that may shield an individual from potential negligence tort li-

supplemental protocol to impose additional restrictions on marine dumping. In particular, in 2013, the Contracting Parties to the London Protocol adopted Resolution LP.4(8), which defines “marine geoengineering” broadly to include “any deliberate intervention in the marine environment to manipulate natural processes, including to counteract anthropogenic climate change and/or its impacts, and that have the potential to result in deleterious effects. . . .”¹⁰⁹ The resolution essentially sets out criteria for adding marine geoengineering activities under a new Annex 4 pursuant to a “positive listing approach” that would not allow marine geoengineering activities listed in that annex to take place.¹¹⁰ As a result, the London Protocol Parties’ declaration effectively restricts listed marine geoengineering activities to legitimate scientific experiments under controlled circumstances after a thorough risk review.¹¹¹

Similarly, the Parties to the Convention on Biological Diversity (CBD) have also sought to ban OIF (as well as other climate engineering activities, including SRM) as a threat to ecosystem resources and species protected under the CBD.¹¹² Notably, these challenges to ocean-based CO₂ removal have solely focused on OIF or other technologies that add chemicals or elements to waters in a way that enhances uptake.¹¹³ As a result, the legal status of alternative marine NET approaches that would remove CO₂ directly from ocean or coastal waters and then return the treated water to its original location remains untested.

C. Legal Obligations Arising From NET Wastes and Emissions

As with most industrial processes, the broad-scale implementation of NETs will likely result in the generation of byproducts, wastes, and unwanted environmental consequences. Numerous legal restrictions and permitting obligations may be triggered by these secondary emissions or impacts, and those legal mandates may constrain

the broadest possible implementation of NETs to achieve deep decarbonization. The benefits of these legal protections for responsible management of environmental harms arising from wastes or byproducts, however, will need to be preserved even if NETs receive their broadest possible authorization. This section assesses some of the most likely legal mandates that will arise from environmental impacts and secondary materials generated by broad-scale NET operations.

Managing and disposing of captured CO₂. An unsurprising byproduct of NETs is, of course, captured CO₂. While CO₂ is frequently sold and managed as a commercial chemical product or feedstock, the quantities of CO₂ that NET would have to remove from the ambient atmosphere would likely dwarf any conceivable market for commercial-grade CO₂ for industrial uses.¹¹⁴ Some proposed NET processes would potentially convert the CO₂ into fuels for transportation or other uses.¹¹⁵ Other processes would permanently lock the CO₂ in mineral basalt formations either in situ into geologic formations or by placement into disposal sites.¹¹⁶ At least one test project has directed power plant CO₂ emissions to large adjoining algae ponds to photosynthesize the CO₂ into biofuel stock.¹¹⁷ But the most common proposed ultimate disposition of captured CO₂ is most likely disposal in either deep geologic strata or deep marine waters.

As noted above, the disposal of CO₂ into geologic strata or marine waters would raise similar issues to proposals to sequester CO₂ from CCS operations with industrial processes and power plants. The aggressive use of NETs, however, would face constraints if the legal framework used for CCS were uncritically applied to captured CO₂ from the ambient atmosphere. First, the volume of CO₂ from NETs could beggar the amounts of CO₂ from industrial CCS. If attainment of the Paris Agreement’s less ambitious 2°C goal would require the capture of 1,800 Gt ambient CO₂, even a portion of that amount would exceed the potential CO₂ emitted from U.S. power plants alone by several orders of magnitude.¹¹⁸ Second, the current U.S. legal framework for management of CO₂ from CCS provides a conditional exemption from hazardous waste regulations

joined it. The United States, notably, has joined the London Convention, but it has not subscribed to the London Protocol. INTERNATIONAL MARITIME ORGANIZATION, THE LONDON CONVENTION AND PROTOCOL: THEIR ROLE AND CONTRIBUTION TO PROTECTION OF THE MARINE ENVIRONMENT (2008), available at http://www.imo.org/KnowledgeCentre/ShipsAndShippingFactsAndFigures/TheRoleandImportanceofInternationalShipping/IMO_Brochures/Documents/6%20page%20flyer%20London%20Convention.pdf.

109. London Protocol art. 6 bis.

110. *Id.* The prohibition on activities positively listed in Annex 4, however, may be lifted if the listing allows the activity to be authorized under a permit. *Id.* This permitting exception allows the performance of small-scale scientific research in certain coastal marine environments. *Assessment Framework for Scientific Research Involving Ocean Fertilization*, IMO Res. LC-LP.2 (2010).

111. London Protocol art. 6 bis.

112. Conference of the Parties to the CBD, *Biodiversity and Climate Change Draft Decision Submitted by the Chair of Working Group I* (Oct. 29, 2010). The final text of Decision X/33 limits the prohibition to climate engineering projects that might affect biodiversity and that lack transparent and effective governance mechanisms. The final language also includes important exceptions for small-scale scientific research as well as a working definition of “geoengineering.” See also CBD, *Update on Climate Geoengineering in Relation to the Convention on Biological Diversity: Potential Impacts and Regulatory Framework*, UNEP/CBD/SBSTTA/19/INF/2 (Oct. 5, 2015).

113. See discussion *supra* notes 50–53, re the effectiveness and status of technologies to remove CO₂ directly from marine waters.

114. This statement assumes that the DAC process would yield CO₂ of sufficient purity and quantity that it would be suitable for industrial use in the first place.

115. See discussion *supra* note 40. To the extent that such DAC processes entrain the CO₂ in a fuel, the subsequent combustion of that fuel would ultimately release the CO₂ back into the ambient atmosphere. As a result, DAC used in this context is only carbon-neutral rather than true CO₂ removal.

116. See discussion *supra* note 58.

117. Power Plant CCS, *Arizona Public Service Company—Algae CO₂ Capture*, http://www.powerplantccs.com/ccs/cap/fut/alg/alg_proj_arizona_public.html (last visited Mar. 19, 2018).

118. As noted earlier, the direct capture of enough CO₂ to reduce ambient atmospheric concentrations by 100 ppm would generate 1,800 Gt CO₂. See discussion *supra* note 75 (NAS REPORT, *supra* note 11, estimate). By contrast, electrical power generated by fossil fuel combustion in the United States generated 1,900.7 Mt CO₂ in 2015—by comparison, only 0.1% of the global sequestration total generated by a 100 ppm drawdown of ambient CO₂ levels. U.S. EPA, INVENTORY OF U.S. GREENHOUSE GAS EMISSIONS AND SINKS: 1990–2015, at 3-2 tbl. 3-1 (2017) (EPA 430-P-17-001), available at https://www.epa.gov/sites/production/files/2017-02/documents/2017_complete_report.pdf.

under the federal Resource Conservation and Recovery Act (RCRA)¹¹⁹ and cleanup obligations under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA).¹²⁰

To qualify for these conditional exemptions, the operator must satisfy numerous regulatory requirements for the disposal of the CO₂ via an injection well. If it does so, the operator could then manage the sequestered CO₂ as only a special waste under Subtitle D of RCRA prior to injection into the well and not comply with the full panoply of regulatory requirements for hazardous waste treatment, storage, or disposal facilities.¹²¹ If an operator wished to dispose of the CO₂ by geologically sequestering it in a Class VI well, the operator would need to use a facility permitted under the Safe Drinking Water Act's (SDWA's)¹²² regulatory standards for underground injection wells, and that permit would require a demonstration that CO₂ placed into a sequestration well would geologically sequester the gas on a long-term basis.¹²³ It is unclear whether an operator could readily satisfy this standard for geologic formations that receive significantly larger volumes of CO₂ from NET operations.¹²⁴ Notably, the SDWA Underground Injection Control (UIC) framework for protecting groundwater drinking supplies would not apply to wells that dedicate the CO₂ to productive reuse in secondary oil recovery or other uses.¹²⁵

In addition to its ultimate disposal or disposition, the captured CO₂ may require interim storage or management prior to injection or disposal offsite. An operator can choose from multiple technologies to manage captured CO₂ on an interim basis, potentially including cryogenic liquefaction, massive tank storage of compressed CO₂, or temporary underground storage in constructed or native

geologic formations.¹²⁶ All of these storage methods will require their own environmental and safety permitting, and they may also entail the generation and management of their own waste streams, emissions, and byproducts.

Management and storage of the captured CO₂ would also pose risks. For example, high-pressure CO₂ vessels might threaten an explosion or catastrophic release if improperly managed, and cryogenic CO₂ releases could theoretically create pockets of dangerous CO₂ concentrations in depressed landscapes or contained areas. While these perils might occur on a larger scale, they do not differ in nature from the risks posed by industrial management of CO₂ or other industrial gases in contemporary chemical production processes. The danger of slow leaks or releases, of course, could undermine the effectiveness of the NET process if the captured CO₂ simply escaped back into the atmosphere.

Finally, the U.S. legal requirements for storage of CO₂ in tanks or other containment vessels may dramatically differ between CO₂ destined for disposal or permanent sequestration and CO₂ intended for use as an industrial product. Under routine circumstances, federal and state environmental laws and regulations impose different obligations on tanks that store commercial chemical products and tanks that store wastewaters or solid wastes. For example, federal regulations requiring site operators to comply with process safety management requirements under the Occupational Safety and Health Act¹²⁷ and the federal CAA require operators to assess and manage their tank systems to minimize the risks of catastrophic releases or explosions.¹²⁸ By contrast, a tank dedicated to the storage of hazardous waste needs to satisfy different federal regulatory requirements under RCRA and analogous state laws and regulations. Under those rules, any "solid waste"—which can include containerized gases such as CO₂ kept in tanks or storage vessels—is considered "hazardous waste" if it either displays a hazardous characteristic or is listed by EPA as a hazardous waste.

While it remains uncertain whether supercritical CO₂ would (or could) display a hazardous characteristic such as corrosivity, containerized CO₂ that displays a hazardous characteristic (or that is mixed with other hazardous waste streams) would likely need to be stored in a tank or storage vessel that satisfied RCRA hazardous waste standards if the containerized CO₂ were subsequently discarded as a RCRA "solid waste" (and did not meet the requirements for the conditional exemption). If that same CO₂ were stored in a tank for ultimate use as a commercial chemical product or feedstock, it might not need to satisfy RCRA requirements unless the proposed use constituted a form of

119. 42 U.S.C. §§6901-6992k.

120. 42 U.S.C. §§9601-9675.

121. 40 C.F.R. §261.4(h) (conditional exclusion for CO₂ streams injected for geologic sequestration); 79 Fed. Reg. 350 (Jan. 3, 2014) (preamble and explanatory overview of final rule).

122. 42 U.S.C. §§300f to 300j-26.

123. In anticipation of the need to dispose of substantial amounts of CO₂ emissions from energy production and other industrial activities that would use CCS systems, EPA created a new class of injection wells to geologically sequester CO₂. These new Class VI wells under the Underground Injection Control program of the SDWA require individual permits with extensive characterization of the site's geologic conditions to confirm that sequestered CO₂ would not migrate or affect potential drinking water sources. 40 C.F.R. §144.6(f); 75 Fed. Reg. 77230, 77246 (Dec. 10, 2010).

124. While the United States possesses an estimated capacity to geologically sequester CO₂ that exceeds 3,500 Gt CO₂, the actual usable capacity will depend on site-specific technical and economic considerations. 75 Fed. Reg. at 77234 (citing U.S. Department of Energy assessments).

125. Injection wells that use CO₂ for enhanced recovery of petroleum and natural gas fall under regulatory requirements for Class II wells. EPA emphasized that the Class VI well requirements for geologic sequestration wells (as well as the conditional exemption of such CO₂ from the definition of hazardous waste under RCRA) would not apply to such enhanced recovery wells. 79 Fed. Reg. 350, 355 (Jan. 3, 2014):

this conditional exclusion is not intended to affect the regulatory status of CO₂ streams that are injected into wells other than UIC Class VI wells. . . . [S]hould CO₂ be used for its intended purpose as it is injected into UIC Class II wells for the purpose of [enhanced oil recovery or enhanced gas recovery], it is EPA's expectation that such an injection process would not generally be a waste management activity.

126. Such storage is common for the temporary retention or management of natural gas, volatile liquids, and other compressed gases in salt dome formations or other geologic structures.

127. 29 U.S.C. §§651 et seq.

128. See, e.g., 42 U.S.C. §7612(r); 40 C.F.R. pt. 68 (2017) (Risk Management Plan program and regulatory requirements under the federal CAA).

disposal via recycling or reuse.¹²⁹ While these two scenarios would trigger significantly different management requirements, the environmental risks posed by the storage and disposition of captured CO₂ are largely the same for each. EPA could address these legal concerns by exempting from RCRA CO₂ captured by NETs, provided necessary precautions were taken.

Managing and disposing of residues and emissions from the NET process itself. Like any other industrial process, large-scale NETs will likely generate their own process wastes and emissions (apart from the CO₂ that they capture). Some iterations of DAC, for example, will likely require substantial power generation, compression equipment and processes, and the use of substantial quantities of absorbent chemicals or catalysts. Other proposed DAC technologies would use catalytic surfaces to capture ambient CO₂ and then release it via a water wash or acid release. Spent chemicals from this process might require regeneration, on-site management, or disposal by the DAC operator or at sizable tolling operations (where third-party contractors process or treat the spent materials and then return the restored chemicals to the customer).¹³⁰ Other NET methods may generate large amounts of materials that would qualify as solid or hazardous wastes because they are placed onto the ground in a manner that constitutes disposal (e.g., dispersal of milled olivine over large land surface areas to promote accelerated weathering). As a result, some NET processes will almost certainly generate air and water emissions as well as solid or hazardous wastes that will require environmental permitting or authorization.

These challenges, however, are not qualitatively different than the permitting and environmental management requirements for any large industrial operation with significant emissions or discharges (although they likely would ultimately involve much vaster quantities of CO₂ than amounts generated even by large industrial operations). Given that some centralized NET operations may generate a large quantity of wastes or emissions, they may face sub-

stantial delays and permitting requirements that smaller or modular operations would not incur. These permitting requirements may discourage potentially larger centralized and more efficient NET systems and technologies.¹³¹

IV. New Public Law Approaches to Expedite Deployment of NETs for Deep Decarbonization¹³²

As shown by the prior discussion, large-scale deployment of NETs at levels that could appreciably alter the global ambient atmosphere within a time frame contemplated by the Paris Agreement would need to navigate several legal hurdles and overcome initial economic and policy disincentives. Some possible policy options that might make NETs more feasible as an option to aid decarbonization efforts in the United States could include the strategies outlined in this part.

Provide a clear statutory and regulatory endorsement of CO₂ removal as a desired goal of U.S. environmental policy. As noted earlier, current U.S. federal environmental laws and policies do not explicitly endorse or promote the development and deployment of NETs. The federal government should provide an explicit preference for research, development, and implementation of NETs as appropriate in conjunction with other decarbonization strategies. This direction could take place either through congressional directives in statutory language, appropriations legislation and oversight exchanges, or through federal agency rule-making or regulatory guidance to provide a coordinated framework for NET development.¹³³ This congressional directive or regulatory framework should also identify the data needed for the federal and state governments to adequately supervise NET research and development, and outline the relevant existing statutory authorities available to obtain that information.

Provide public support and investment for basic research into the feasibility and cost-effectiveness of NETs. While some researchers have begun to explore the foundational concepts and economics of NETs, the United States has not provided large-scale funding of NET research or tests. In part, the lack of public support may arise from persistent objections and concerns about the climate engineering concept in general (including SRM). Critics contend that

129. Even if stored CO₂ did not trigger federal hazardous waste requirements, states may impose their own (and more stringent) tank storage requirements. In addition, RCRA Subtitle D also provides the federal government with authority to regulate certain nonhazardous solid wastes as "special wastes" upon a specific finding by EPA. 79 Fed. Reg. at 354-56 (discussing regulatory consequences under RCRA of declaring sequestered CO₂ to be a discarded "solid waste" instead of a usable or stored product or resource).

130. Full life-cycle assessments of DAC technologies are now beginning to take place as specific technologies begin to emerge. See, e.g., Jennifer Wilcox et al., *Assessment of Reasonable Opportunities for Direct Air Capture*, 12 ENVTL. RES. LETTERS 065001, at 2 (2017) (discussing life-cycle analysis of DAC and enhanced oil recovery options, primarily from energy inputs and offsetting CO₂ process emissions), available at <https://doi.org/10.1088/1748-9326/aa6de5>.

A tolling operation is a commercial transaction where a customer conveys a batch of materials or product to a contractor who processes those materials and then returns the finished product to the customer. Typically, a tolling operator never acquires any ownership interest in the processes materials, and the operator also assumes responsibility for any wastes or environmental consequences of the tolling operation. If the customer exercises broad oversight and control over the tolling operation, however, the customer may incur liability for environmental regulatory violations or cleanup obligations. See, e.g., *United States v. Aceto Agric. Chems. Corp.*, 872 F.2d 1373, 1381-82, 19 ELR 21038 (8th Cir. 1989) (discussing tolling operations and their potential basis for liability under CERCLA).

131. See discussion *infra* notes 138-39 (potential standardized permitting or programmatic review approaches to streamline environmental approval of DAC technologies).

132. Given the early stage of DAC development, most of the work has occurred in research settings or early startup demonstration projects. As a result, almost all of the governance discussions to date have focused on public law or regulatory approaches. Private governance approaches or consensual codes of conduct, however, may play a growing and significant role in the future, especially within the research community. See Burger & Gundlach, *supra* note 16.

133. For an example of a coordinated federal policy to govern an emerging technology, see U.S. EPA, MODERNIZING THE REGULATORY SYSTEM FOR BIOTECHNOLOGY PRODUCTS: FINAL VERSION OF THE 2017 UPDATE TO THE COORDINATED FRAMEWORK FOR THE REGULATION OF BIOTECHNOLOGY (2017), available at https://www.epa.gov/sites/production/files/2017-01/documents/2017_coordinated_framework_update.pdf.

climate engineering, including NETs, could detract from needed initiatives to reduce current GHG emissions into the atmosphere, and the risks of planetary-scale projects to alter the climate pose extraordinarily thorny liability, governance, and implementation challenges.¹³⁴ While NETs probably offer the climate engineering strategies that raise the fewest of these concerns, they have nonetheless suffered from U.S. policymakers' broader disinterest in climate engineering in general.¹³⁵ Prior federal funding remained modest and focused on basic research concepts (such as modeling of stratospheric releases), and the number of projects is small despite calls by some groups for expanded support under a coordinated research strategy.¹³⁶

Despite that distaste, scientists and policymakers have begun to discuss the need for climate engineering research in public fora. The National Research Council, for example, expressly included CO₂ removal in its 2015 recommendation that the United States should provide significantly more funding for climate engineering research to assess its viability and desirability.¹³⁷ U.S. federal agencies have also suggested that climate engineering research (at least at the proof-of-concept stage) merits additional research support and financing.¹³⁸ To achieve CO₂ removal at the necessary scale within a relevant time frame, Congress and state legislatures would likely need to significantly boost the funding available to support climate engineering research proposals. In establishing funding and selecting projects to support, the federal government and state governments should take care to avoid promoting one particular technology to the exclusion of others and thereby creating a "lock-in" of a designated method.

Environmental permits, reviews, and authorizations. U.S. policymakers and regulators can take several steps to help reduce barriers to NETs from legal requirements, environmental permitting requirements, or environmental impact reviews. These steps, of course, should be taken with a firm

expectation that any lowering of these legal barriers will not expose the public or the environment to unwarranted environmental risks.

At the least, U.S. regulatory agencies and policymakers, especially EPA and state agencies with delegated authority to issue environmental permits, can explore whether to reduce permitting barriers or environmental review disincentives for laboratory research or limited field testing of NETs. For example, as noted earlier, EPA could extend its current conditional RCRA and CERCLA exemption for CO₂ captured from industrial operations for geologic storage to also include CO₂ captured from the ambient atmosphere by DAC operations. For broader deployment or implementation, EPA and state environmental agencies can adopt: (1) standardized approval and review procedures for NETs that use common procedures or similar physical designs, and (2) general permits for NETs that will likely have either small or predictable and controlled impacts to the environment. The president could also issue an Executive Order directing expedited federal review of NET projects and activities. Presidential administrations have ordered expedited review and approval of key pipelines and other major energy infrastructure projects.¹³⁹ In addition, Congress could adopt legislation to provide favorable waivers or reduced environmental reviews of NET projects similar to the limited federal waiver from state permitting requirements on the same model used for CERCLA.¹⁴⁰

More controversially, Congress and state legislatures and agencies can reduce barriers to NETs posed by land acquisition or authorization requirements by utilizing their power to authorize condemnation of property needed for these projects (akin to pipelines, rail corridors, municipal water districts, and flood control projects). This step poses serious risks, as highlighted by the environmental impacts and strong objections caused by other infrastructure projects that relied on condemnation powers exercised by government actors or private parties, particularly with pipeline construction and transportation and infrastructure. With appropriate oversight and protective limitations, Congress or state legislatures could also extend that condemnation power to private parties who engage in industrial-scale NET operations authorized by state or federal permits or certificates of convenience (i.e., similar to private condemnation authority provided to private rail operations, pipeline construction, and power line corridors).

Given the controversial nature of climate engineering and the intense opposition that private condemnation efforts and governmental takings can provoke, however, federal or state governmental authorities should prob-

134. See, e.g., Turaj S. Faran & Lennart Olssen, *Geoengineering: Neither Economical, Nor Ethical—A Risk-Reward Nexus Analysis of Carbon Dioxide Removal*, 18 INT'L ENVTL. AGREEMENTS: POLITICS, L. & ECON. 63-77 (2018), available at <https://doi.org/10.1007/s10784-017-9383-8>.

135. OLIVER MORTON, *THE PLANET REMADE: HOW GEOENGINEERING COULD CHANGE THE WORLD* 158-64 (2016) (discussing moral hazard framing and subsequent justifications for climate engineering); ALBERT C. LIN, *PROMETHEUS REIMAGINED: TECHNOLOGY, ENVIRONMENT, AND LAW IN THE TWENTY-FIRST CENTURY* 124-28 (2013); Dale Jamieson, *Ethics and Intentional Climate Change*, 33 CLIMATIC CHANGE 323, 333 (1996).

136. NAS REPORT, *supra* note 11, at 90-91 (recommending broader research program and funding for CO₂ removal technologies); ROYAL SOCIETY, *supra* note 28, at 61. See also CENTER FOR SCIENCE, TECHNOLOGY, AND ENGINEERING, U.S. GOVERNMENT ACCOUNTABILITY OFFICE, *supra* note 29, at 29 (as of 2011, only nine projects explicitly focusing on climate engineering had received federal research funding).

137. NAS REPORT, *supra* note 11, at 90-91.

138. See, e.g., Bob Yirka, *CIA Co-Sponsoring Geoengineering Study to Look at Reversing Global Warming Options*, PHYS.ORG, July 22, 2013 (NAS climate engineering project suggested for funding by the U.S. Central Intelligence Agency, the National Aeronautics and Space Administration, and the National Oceanic and Atmospheric Administration), <https://phys.org/news/2013-07-cia-co-sponsoring-geoengineering-reversing-global.html>; Eli Kinitich, *DARPA to Explore Geoengineering*, SCIENCE, Mar. 14, 2009, at 1, available at <http://www.sciencemag.org/news/2009/03/darpa-explore-geo-engineering>. Our research has not identified any states that are sponsoring independent climate engineering research.

139. Exec. Order No. 13766, *Expediting Environmental Reviews and Approvals for High Priority Infrastructure Projects*, secs. 2 and 3, 82 Fed. Reg. 8657 (Jan. 30, 2017); Exec. Order No. 13604, *Improving Performance of Federal Permitting and Review of Infrastructure Projects*, 77 Fed. Reg. 18885 (Mar. 28, 2012).

140. 42 U.S.C. §9621(e)(1) ("No Federal, State, or local permit shall be required for the portion of any removal or remedial action conducted entirely onsite, where such remedial action is selected and carried out in compliance with this section."). Notably, the ultimate remedial action selected must still account for all applicable or relevant and appropriate state and local standards.

ably exercise this condemnation authority initially, and extend this power to private parties only with great caution.¹⁴¹ And most importantly, the daunting amounts of land demanded by some NET approaches (in particular BECCS) would make it difficult to acquire the required space through heavy reliance on condemnation powers without triggering a political and financial backlash.

Integration with state renewable energy incentives and portfolio standards. A majority of states have achieved notable success in encouraging the development of renewable energy sources through promulgation of renewable portfolio standards (RPS) and renewable energy standards. While no state has yet explored the use of RPS to spur the development of NETs, the designation of carbon removal technologies as an accepted method to attain RPS targets would provide a substantial incentive for the development, commercialization, and deployment of NETs.¹⁴²

Damages and liability. Congress has adopted a broad range of tactics to keep liability and damages concerns from stifling desirable emerging technologies. Many of these strategies could readily apply to NETs.

For example, the United States has shielded the domestic nuclear energy industry through the adoption of liability caps that prevent a nuclear plant operator's liability for an incident from exceeding statutorily designated caps. These caps, which are imposed under the Price-Anderson Act, also limit the judicial fora that can hear damages claims and preclude certain state law tort actions.¹⁴³ A few other federal statutes have included liability limitations or restrictions on judicial review as a means to promote the initial growth of important technologies.¹⁴⁴ Congress or federal agencies could explore the possibility of offering certain liability protections for NET operators that meet size, operational, and safety requirements. To some extent, EPA has already explored some of these strategies in a related context by providing conditional waivers from hazardous waste regulations and CERCLA liability for persons who capture and sequester CO₂ through injection

wells into subsurface strata.¹⁴⁵ Congress and EPA should craft a similar combination of legislative and regulatory options to allow NET research and limited deployment to occur without significant delays from permitting disputes or environmental impact reviews.

Incentives. Given NETs' nascent state, current environmental regulations unsurprisingly do not provide any express regulatory or financial incentives for persons to undertake NET research, testing, or deployment. As a result, any comprehensive and rational system to spur NET investigations will likely require legislative or regulatory action. Within that framework, the federal (and state) government can offer several possible benefits and rewards.

Drawing on prior federal efforts to incentivize research or early deployment of emerging technologies, some effective and common tools would include the congressional provision of tax credits, favorable depreciation, and federal loan guarantees to investors in desirable new technologies.¹⁴⁶ As noted earlier, Congress recently took the important first step of authorizing the extension of tax credits to certain qualifying DAC operations.¹⁴⁷ In addition, outright research grants from EPA, the U.S. Department of Energy, the National Science Foundation, or other federal agencies could be made available to spark research that offers limited short-term financial profit but promises immense long-term public benefits.¹⁴⁸

But the most powerful concept that could accelerate private-sector NET research and deployment would be the imposition of a carbon tax or other pricing mechanism that would expressly allow NET operators to obtain a financial return on the CO₂ they capture from the atmosphere. This approach would allow entrepreneurs and investors to develop NETs without mandatory governmental controls, approvals, or disbursements, and markets could theoretically help allocate resources in an efficient fashion to the most effective methods and technologies. The use of NET projects to generate tradable carbon credits, however, would likely prove controversial in light of concerns over verifying the validity of the traded credits and unexpected side effects created by prior CO₂ trading systems.¹⁴⁹ In addition, a large number of credits generated by commercial NET

141. Richard A. Epstein, *Kelo v. City of New London Ten Years Later*, NAT'L REV., June 23, 2015 (recounting strong reaction to the Supreme Court decision allowing condemnation and acquisition of private property for a public real estate development project that provided only indirect benefits to the public), <http://www.nationalreview.com/article/420144/kelo-v-city-new-london-ten-years-later-richard-epstein>; ILYA SOMIN, *THE GRASPING HAND: KELO V. CITY OF NEW LONDON AND THE LIMITS OF EMINENT DOMAIN* (2015).

142. Anthony Chavez, *Using Renewable Portfolio Standards to Accelerate Development of Negative Emissions Technologies*, 43 WM. & MARY ENVTL. L. & POL'Y REV. (forthcoming 2019).

143. 42 U.S.C. §§2210 et seq. See also David A. Repka & Tyson R. Smith, *Deep Decarbonization and Nuclear Energy*, 48 ELR 10244 (Mar. 2018).

144. See, e.g., 33 U.S.C. §2704 (limitations on liability under the Oil Pollution Act for damages arising from spills of petroleum into navigable waters); DAVID A. DANA, NORTHWESTERN UNIVERSITY SCHOOL OF LAW, FACULTY WORKING PAPER NO. 194, *WHEN LESS LIABILITY MAY MEAN MORE PRECAUTION: THE CASE OF NANOTECHNOLOGY 29-32* (2009) (analyzing proposals to limit liability for damages arising from nanoscale materials in exchange for instituting a broad testing regime), <http://scholarlycommons.law.northwestern.edu/facultyworkingpapers/194>; LIN, *supra* note 135, at 95-96, 100-01 (role of tort liability and insurance as regulatory backstops for development of nanoscale materials).

145. See discussion *supra* notes 121-29.

146. This strategy, however, has proven controversial when federal investments, loans, or tax credits go to ventures that ultimately fail or go bankrupt. See, e.g., Eric Lipton & John M. Broder, *In Rush to Assist a Solar Company, U.S. Missed Signs*, N.Y. TIMES, Sept. 23, 2011, at A1.

147. See discussion *supra* notes 25-26.

148. See, e.g., John M. Golden & Hannah J. Wiseman, *The Fracking Revolution: Shale Gas as a Case Study in Innovation Policy*, 64 EMORY L.J. 955, 983-99 (2015) (reviewing role of government support in development of hydraulic fracturing technology). See also Loren Steffy, *How Much Did the Feds Really Help With Fracking?*, FORBES, Oct. 31, 2013, <https://www.forbes.com/sites/lorensteffy/2013/10/31/how-much-did-the-feds-really-help-with-fracking/#24fcd1c13edf>; Michael Shellenberger & Ted Nordhaus, *A Boom in Shale Gas? Credit the Feds*, WASH. POST, Dec. 16, 2011 (recounting federal support for early research in the natural gas potential of shale formations and innovative techniques to cost effectively extract hydrocarbons from them), https://www.washingtonpost.com/opinions/a-boom-in-shale-gas-credit-the-feds/2011/12/07/gIQAcFIZO_story.html?utm_term=.2d79e64926c4.

149. Keith Bradsher, *Outsize Profits, and Questions, in Effort to Cut Warming Gases*, N.Y. TIMES, Dec. 21, 2006, at A1.

ventures might overwhelm other policy, ethical, and social goals.¹⁵⁰ The verification of CO₂ captured by certain NET methods (such as OIF) may also be difficult, and the value of such credits may fail to reflect the corollary environmental harms created by the NET process itself.

In the short term, EPA and state environmental agencies could promote the investigation and deployment of NETs through incorporating them into GHG control permit requirements and emission control standards. These strategies might include, for example, the use of CO₂ captured through DAC as a tradable offset for compliance with state emission limits from existing fossil-fueled power plants or from future industrial sectors that may be subject to existing source performance standards.¹⁵¹ EPA or delegated states (states with authority to run their own regulatory programs under the CAA) could also consider the use of NET removal of CO₂ as an alternative control strategy to consider during their selections of best available control technologies (BACTs) for PSD permits to control emissions of other regulated pollutants.¹⁵²

Given the quick dispersion of CO₂ emissions on a national (and global) basis, EPA or a delegated state might also make the defensible decision to let a facility offset its CO₂ emissions from one of its facilities through that operator's use of NETs at a different location within the United States. The inclusion of such offsets or netting, however, might provoke some public controversy and opposition, and as a result affected persons could perhaps challenge such NET mandates through administrative petitions or judicial action involving the underlying permit (or non-major source determination).¹⁵³

150. Albert C. Lin, *Geoengineering*, in *GLOBAL CLIMATE CHANGE AND U.S. LAW* 724 (Michael B. Gerrard & Jody Freeman eds., American Bar Association 2d ed. 2014).

151. While the federal Clean Power Plan and federal CO₂ emission limits on fossil-fueled electrical generation facilities might have provided a fertile basis to explore permitting requirements that incorporated offsets from DAC or other NETs, the federal government's recent moves to halt efforts to permit GHG emissions under the federal CAA's PSD program and its new source performance standards likely foreclose that avenue for the foreseeable future. See discussion *supra* note 39, Exec. Order No. 13783, sec. 4(b) (directing review and, if warranted, withdrawal of Clean Power Plan regulations to restrict GHG emissions from existing and new fossil-fueled power plants under §§111(b) and 111(d) of the federal CAA).

152. DAC removal might also play a role in selection of lowest achievable emission rate (LAER) technologies for sources located in areas that do not meet NAAQS for certain criteria pollutants. While EPA has not promulgated NAAQS for CO₂ that would support the designation of nonattainment areas or selection of LAER for CO₂, EPA or delegated state agencies could choose a LAER technology to control that nonattained criteria pollutant while also offering additional desirable reductions in CO₂ as well. As noted earlier, the Supreme Court in *Utility Air Regulatory Group v. Environmental Protection Agency* upheld the ability of EPA (and, presumably, a state agency with delegated authority) to select BACT standards to control regulated pollutants that also limit CO₂ and other GHGs as co-pollutants. See discussion *supra* note 98, *Utility Air Regulatory Group v. Environmental Prot. Agency*, 134 S. Ct. 2427, 2447-49, 44 ELR 20132 (2014) (discussion of regulation of "BACT anyway" sources).

153. While the use of netting and offsets has become an accepted facet of routine PSD and NNSR permitting under the federal CAA, the concepts have sparked controversy when used as compliance mechanisms or as a mechanism under state law to attain GHG reduction goals. See, e.g., Adam Ashton, *Is It a Fee or Tax? California's Cap-and-Trade Faces Tough Questions*, SACRAMENTO BEE, Jan. 24, 2017, at 1 (lawsuit challenging California's use of a cap-and-trade system to control GHG emissions under state law), avail-

Beyond these regulatory incentives and exemptions, federal and state environmental agencies could remove barriers to NETs on other fronts. For example, EPA and state environmental agencies could promote the reuse of captured CO₂ as a feedstock or commercial product by issuing guidance or a regulatory determination that CO₂ captured through NETs would not constitute a pollutant under the Clean Water Act (CWA)¹⁵⁴ or CAA or a discarded hazardous waste or substance under RCRA or CERCLA.¹⁵⁵ The conditions (if any) accompanying this determination should protect the public or ecosystems from any anticipated risks from NETs, but the Agency would need to navigate the exemption with care because non-discarded products or feedstocks typically fall outside EPA's jurisdiction under RCRA and the CWA.¹⁵⁶ The reuse of captured CO₂ to generate carbon-based fuels for transportation or energy production could pose extremely difficult regulatory concerns¹⁵⁷ and arguably would not promote the eventual ultimate goal of reducing CO₂ accumulations in the ambient atmosphere (unless they displace fossil fuels that would otherwise be burned).

Last, federal, state, local, and private efforts to use NETs to enhance the deep decarbonization of the U.S. economy will likely also have to examine issues outside strictly legal or policy concerns. For example, NETs may raise difficult issues related to the social benefits and costs that their broad implementation may impose. If NETs require significant use of lands, the placement and operation of their facilities may face the same environmental justice scrutiny that other industrial operations may trigger (especially if the NET facilities are located in environmental justice communities or Native American tribal territory). The allocation of any credits or other financial benefits designed to spur NET research and development, like any trading system that relies on an initial allocation of tradable credits, may create large transfers of wealth and expose certain communities to greater risks or benefits.¹⁵⁸

able at <http://www.sacbee.com/news/politics-government/capitol-alert/article128494604.html>.

154. 33 U.S.C. §§1251-1387.

155. For example, some proposals for DAC would use the captured CO₂ as a feedstock to manufacture hydrocarbon fuels. This type of reuse of captured CO₂, however, might be classified as a form of discarding through recycling for energy recovery that could lead to its classification as a solid waste under RCRA regulations. 40 C.F.R. §241.2(c)(2)(i)(B) (materials are "solid waste" if they are recycled by being "used to produce a fuel or are otherwise contained in fuels (in which cases the fuel itself remains a solid waste)"). The secondary use of solid wastes to manufacture fuels or to burn for energy recovery, however, is an extremely complex area of regulation under federal and state hazardous waste laws. See, e.g., 40 C.F.R. §261.38 (comparable fuels exclusions), pt. 266 subpt. H (regulations for boiler and industrial furnaces that burn secondary materials for energy recovery).

156. See, e.g., *American Mining Cong. v. Environmental Prot. Agency*, 824 F.2d 1177, 17 ELR 21064 (D.C. Cir. 1987) (certain secondary materials reused in the primary mining production process are not "discarded," and therefore are not "solid wastes" that EPA can regulate under RCRA); Hester, *supra* note 46, at 877 (jurisdictional issues regarding ability of EPA to rely on the federal CAA to regulate chemicals intentionally released into the air to achieve their designated purpose).

157. See discussion *supra* note 155 (solid and hazardous waste regulatory requirements triggered by burning of materials for energy recovery).

158. For example, residents near large DAC facilities may face environmental impacts from the facilities' operations as well as the risk arising from the

Farther in the future, EPA might also choose to encourage the development of certain types of NETs—in particular, olivine dispersal and direct mechanical removal of CO₂ from coastal waters—by designating them as possible treatment technologies to address ocean acidification. Several water bodies in the United States have already become sufficiently acidic from air deposition that they do not meet the use designation or water quality standard set out for them, and as a result state environmental agencies (or EPA) will need to consider possible mitigation strategies to reduce their acidity.¹⁵⁹ EPA has resisted citizen suit actions and administrative petitions to force it to update its ocean acidity water standards and to reject state water quality plans that did not directly mitigate ocean acidity.¹⁶⁰ Its settlement of a citizen suit in 2010 led EPA to promulgate a guidance memorandum that will make any regulatory obligation to address ocean acidity unlikely for the near future.¹⁶¹

But if a NET project operator wished either to release CO₂ entrained in ocean waters to increase the coastal or ocean water's uptake capacity for additional CO₂ absorption, or to disperse finely ground olivine in coastal waters to accelerate enhanced weathering in a way that also reduced coastal or marine acidification, those technological options might constitute an acceptable control strategy for a state to propose to satisfy a wasteload allocation or total maximum daily load action plan. The environmental implications of directly manipulating ocean waters to reduce their CO₂ uptake, however, will raise troubling issues about potential effects on marine ecosystems and protected marine organisms, and any regulatory consideration of these options will have to carefully address these possibly severe damages to ocean environments. All of these techniques are at such early stages of development that it is difficult to foresee their environmental impacts, and the regulatory tools that will be needed to deal with them.

V. Conclusion

Even if NETs meet the technical and logistical challenges to their adoption, they will still need to surmount legal uncertainties. Certain features of the technology will make it less controversial than other proposed techniques for climate engineering, but some types of NETs could still trigger burdensome obligations to obtain permits based on land use, emissions from associated equipment, and management or disposal of captured GHGs. These technologies could also face unsettled risks from the difficulty of assessing their environmental impacts for NEPA.

These legal impediments can be proactively addressed through the strategies discussed above. If so, legislators and regulators should provide adequate governance oversight, ensure that all stakeholders receive opportunities to participate in decisions on risk and management, and help operators identify and manage unexpected or otherwise uninsurable risks.

Finally, policymakers should remember that NETs, if they overcome legal impediments to their broad implementation, will still pose important practical challenges. For example, while NETs could complement CCS and agricultural sequestration techniques, they may also compete with mitigation approaches. In addition, large-scale production of captured CO₂ might cripple carbon credit markets with large volumes of CO₂e removal credits for NETs. There is also the risk of moral hazard from wide-scale NETs because it might be politically and economically less painful to withdraw CO₂ from the ambient atmosphere than to restrict or minimize the emissions from industries or power generators.¹⁶²

management, disposal, or release of wastes or pollutants from the facilities (aside from CO₂). See discussion *supra* notes 13-16.

159. Memorandum From Denise Keehner, Director, Office of Wetlands, Oceans, and Watersheds, U.S. EPA, to Water Division Directors, Regions 1-10 (Nov. 15, 2010) (outlining EPA strategy for assessing total maximum daily loads for oceanic acidification), https://www.epa.gov/sites/production/files/2016-01/documents/memo_integrated_reporting_and_listing_decisions_related_to_ocean_acidification.pdf; Robin Kundis Craig, *Dealing With Ocean Acidification: The Problem, the Clean Water Act, and State and Regional Approaches*, 6 WASH. J. ENVTL. L. & POL'Y 387, 426-28 (2016).

160. In particular, the Center for Biological Diversity has aggressively pursued EPA to require affirmative action to address listings of coastal and oceanic waters as impaired for failing water quality standards for acidity. Craig, *supra* note 159, at 421-28.

161. *Id.* at 425-28. See also Press Release, Center for Biological Diversity, Legal Settlement Will Require EPA to Evaluate How to Regulate Ocean Acidification Under Clean Water Act (Mar. 11, 2010), http://www.biologicaldiversity.org/news/press_releases/2010/ocean-acidification-03-11-2010.html.

162. Faran & Olsson, *supra* note 134; ROYAL SOCIETY, *supra* note 28, at 37-39 (assessing moral hazard objections to wide-scale deployment of CO₂ technologies); Manya Ranjan & Howard J. Herzog, *Feasibility of Air Capture*, 4 ENERGY PROCEDIA 2869, 2875-77 (2011) (noting moral hazard issues raised by current framings of DAC options).